Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





THE CHEAPEST TO BUY
AND THE BEST TO PLANT



HARRISON NURSERY CO.

YORK, NEBRASKA

SPRAYING CALENDAR

EXPLANATION—While the number of applications recommended will be found desirable in seasons when the fungi are particularly troublesome, a smaller number may often suffice. An asterisk (*) cautions against spraying with poisons while the plants are in blossom; two asterisks (**) indicate that there is danger in making an application within three weeks of the time the fruit is to be used as food.

PLANTS	1st Application	2d Application	3d Application	4th Application
APPLE Scab, codling moth, bud moth, caterpillar, canker worm.	After the blossoms have formed, but be- fore they open, Bor- deaux.	ter blossoms fall,	10 to 14 days later, Bordeaux and Paris Green.	10 to 14 days later, Bordeaux.
CHERRY Rot, aphis, cur- culio, slug, knot.		set, Bordeaux and	10 to 14 days later, if signs of rot appear, repeat.	10 to 14 days later, Ammoniacal Carbon- ate of Copper.
CURRANT Mildew, worms.	As soon as worms are found on lower and inner leaves, Paris Green.	If they reappear, repeat, adding Bordeaux for mildew.**	If worms still trouble, Pyrethrum or Hellebore.*	After fruit is picked, Bordeaux.
GOOSEBERRY Mildew, worms.	As leaves open, Bordeaux and Paris Green.	In 10 to 14 days, repeat with both.	10 to 14 days later, Sulphide Potash, on English varieties.	10 to 14 days later, repeat.
GRAPE Fungous dis- eases, flea beetle.	are half-grown, Bor-	As soon as the fruit has set, repeat.*	10 to 14 days later, repeat.	10 to 14 days later, if disease is present, apply Bordeaux.
PEACH and APRICOT Rot, curculio. leaf curl, mildew.	Before blossoms open, Bordeaux.	Within a week after fruit has set. Bordeaux and Paris Green.*	7 to 12 days later, repeat.	7 to 12 days later, repeat.
PEAR Leaf blight, scab, psylla, cod- ling aoth.	Just before blossoms open, Bordeaux.*	Within a week after blossoms fall, Bordeaux and Paris Green,	8 to 12 days later, repeat.	10 to 16 days later, Bordeaux.
PLUM Fungous dis- eases, rot, curcu- lio, knot.	Within a week after blossoms have fallen, repeat.*	10 to 12 days later, repeat.	10 to 20 days later, Bordeaux.	Note—If bl knots are found plum or cherry to they should at onc cut out and bur
QUINCE Leaf and fruit spots.	When blossom buds appear, but before they open, Bordeaux.	set, Bordeaux and	10 to 12 days later, repeat.	10 to 20 days lat Bordeaux.
BLACKBERRY, RASPBERRY Anthracnose, rust.	Cut out canes bad- ly diseased with an- thracnose and burn. Before buds open, spray with Copper Sulphate solution.	appear, Bordeaux and Paris Green.** 10 days later, Bor-	10 to 14 days later, repeat.**	Note—If red appears, the en stool affected sho be grubbed out burned.
ROSE Aphis. worms.	Kerosene Emulsion for ahpis.		Afterwards keep lice and caterpillars off by turning a fine stream from hose on under side of leaves.	
				-

Do not spray with arsenites or copper compounds within three weeks of the time the sprayed portions are to be eaten. Bordeaux mixture and other lime compounds should not be used upon rough or full-grown vines even as late as that time.

A SQUARE DEAL

WE DO NOT DEMAND PAYMENT FOR STOCK UNTIL YOU HAVE RE-CEIVED AND EXAMINED SAME

WE PREPAY TRANSPORTATION CHARGES to All Railroad Towns When the Orders Amount to One Dollar or More

WE REPLACE STOCK AT ONE-HALF PRICE—This is our way of doing business

OFFICERS and DIRECTORS

Harrison Nursery Co.

(INCORPORATED)

W. A. HARRISON, President E. H. SMITH, Secy. & Treas.

H. S. HARRISON, Vice-PresidentE. E. MASON, Field Mgr.



G. G. Pippin, Unpruned

G. G. Pippin, Properly Pruned

Tree should be planted two inches deeper than it stood in nursery. (See line on illustration showing depth to plant.)

A TALE

Over twenty-five years ago, the Harrison Brothers started the Harrison Nursery at York. The most of Nebraska at that time was a treeless plain. The idea of raising a stick of timber sufficiently large to make a fence post seemed preposterous. The very thought of growing fruit was considered ridiculous. The general impression prevailed that the country was adapted only to the production of corn and hogs. The obstacles that confronted the young men seemed almost insurmountable. They had no capital. The advice of all friends and acquaintances was against the project, but they had as assets, youth, hope and the genius of labor coupled with a prophetic faith in the ultimate greatness of Nebraska. For a number of years every tree was grafted, planted, trimmed, hoed, cultivated, dug out of the ground with a spade, graded, tied up and labelled by the firm. In fact you might say this first excursion in the realm of experimental horticulture was personally conducted—no one but a proprietor officiating.

The demand for Nebraska-grown stock became so great it was found necessary to enlarge the nursery field, packing rooms, cellars and to erect a modern office structure. It was also found necessary to add more timber to the managing force, and to reorganize the company in order to accommodate the large volume of business, consequently in the spring of 1910, the company was incorporated under the laws of the State of Nebraska for \$100,000.00, with a fully paid-up capital stock of \$73,700.00 E. H. Smith, a Nebraska-grown product, who had formerly been employed by the Burlington Railroad for sixteen years in the operating and traffic departments, became a director and was elected secretary and treasurer. E. E. Mason, another Nebraska boy, who had been employed by the Harrison Brothers since fifteen years of age, also became a director and was made superintendent of the nursery farm. In order to enlist the permanent assistance and support of employes, several of the field and office men were given an opportunity to become stockholders.

Note the change in a quarter of a century. York can today boast of one of the largest retail nurseries in the West. Where grafts and trees were originally planted by hand, they are now put in by a machine with a capacity of planting as many as 80,000 trees a day. Instead of chopping them off with a spade, they are dug with an enormous tree digger, operated by ten horses and every root and rootlet is preserved. In the early days the stock was served to patrons by wagon. Now the shipping business is so enormous that the Burlington people send extra men during the month of April to take care of this extra business. Work that was once done by two partners is now giving employment to dozens of men.

The Harrison Nursery Co. has one of the most complete packing houses in the West. Trees are hauled immediately from the field and graded and handled in a frost and heat-proof building. They have a most thorough and complete packing system. To make a mistake in filling an order is almost impossible.

This little tale relating to Nebraska-grown trees and Nebraska-grown men, is to call your attention to this proposition: The average tree planter knows little about trees, their culture and adaptability of variety to locality. Hence you must rely greatly on your nurseryman for advice and counsel. Horticulture requires technical knowledge, and the man who comes up from the stubble has acquired the fundamental principles which enables him to give the most practical advice. Harrison Brothers do not want to be considered as deprecating a booklearned education, because they have been students of horticultural works and magazines all their lives, but sometimes you read a thing and forget; but when you have been up against the real experience, then you know something permanently.

The Harrison Brothers know a few things about trees, for they have learned from actual experience. They have had black lines under their finger nails, and know something about soil. They have a large experimental orchard and have thoroughly tested hundreds of varieties, and they can tell you about some kinds that you ought not to plant, which is something. They have traveled all over Nebraska and Western states for years, and by constant observation they have discovered a great variety of conditions, in different parts of the country. They are always ready and willing to give their patrons the benefit of their experience and observation.

LOCATION

We want, right at this point, to lay stress on one fact, and that is that the Harrison Nursery Co. is located at YORK. We make this emphatic because we are proud of York, and we hope York is somewhat proud of us. York, you know, is noted for its citizenship, its thrift and progressiveness, and especially for its beautiful homes and well-kept lawns, and here the nursery influence can be seen, because there are more distinct species of different ornamentals in York than in any other town in the state. It is a well-known fact that York is located in one of the richest agricultural districts of the United States. York is located on a system of railroads that give excellent service to all parts of the country. Express is handled by two of the leading express companies and prompt service is assured.

TREES GROWN ON HIGH GROUND

The Harrison Nursery Co. field is located on a high divide, with no creek bottoms, river bottoms or low lands to force the growth of their nursery stock. It is just as essential to select nursery stock from high, dry ground, as it is seed corn. The soil is peculiarly adapted to the successful growth of trees, giving them a strong, vigorous root system and a well-developed, symmetrical body.

QUALITY

All stock grown by the Harrison Nursery Co. is graded by caliper and height, and everything not up to the standard is consigned to the brush pile and burned. The caliper proves the physical condition of a tree. For instance, a tree may be 5 to 6 feet in height and caliper ½ inch, or on the other hand may measure 3 to 4 feet in height and caliper ¾ inch. In either case the tree is not in a healthy condition for planting. The tree family may rightly be compared with the human family. For instance, a man may measure 6 feet in height and weigh 100 pounds, or on the other hand he may be 5 feet tall and weigh 300 pounds. You will concede in either case the man is not in a normal condition. Thus you will see the importance of properly grading nursery stock; it costs us more to grade the stock, but we believe in giving our customers the best that can be had, regardless of expense. Quality is considered above all things else, and the demand for such is constantly increasing. People are beginning to realize the importance of planting good trees for permanent improvements, instead of planting a cottonwood in the front yard, as did the early settlers, a nice hardy ornamental tree is selected. Instead of planting a cheap whip cherry tree or apple tree in the back yard, first-class graded trees are used. Instead of using the swine to mow the grass in the front yard, a lawn mower is used with great care to insure the safety of the flowering shrubbery and roses which adorn the home.

PRICES

Just a word in regard to prices. Those wishing cheap trees at a cheap price will waste both their time and ours. We put out to our trade nothing but first-class trees, at reasonable price. We do not intend to compete with cheap catalogue nurseries in foreign states. A row of trees is made up of many grades. We want our customers to get the best and the other fellow the culls. You are very foolish to hesitate over the small difference in price between a good and an indifferent tree. If you were to go to your neighbor's to buy some hogs, would you pick out the runts because they happened to be a few cents cheaper? No; you would pick the choicest and pay the price, because you realize they would be cheaper in the end. Do not get the impression, however, that we are high-priced. We guarantee to compete with anyone, both in price and quality. We simply refuse to sell the trade inferior trees at any price. "Good goods at honest prices," is our motto. We have built up what reputation we have on that platform, and we intend to adhere to this rule to the end.

INSPECTION

Our nursery is inspected each year by the State Entomologist, and a certificate issued by him showing stock to be free from San Jose scale and insect pests, and to be in a healthy condition, is attached to each shipment.

GUARANTEE OF GENUINENESS

While we exercise the utmost diligence and care to have varieties true to name, and stand ready at all times on proper proof, to replace all stock that may prove otherwise, or refund the amount paid, it is mutually understood and agreed between purchaser and ourselves that we shall in no case be liable for any sum greater than the amount originally received for said trees, etc., that prove untrue.

NOTICE

Our patrons are requested to read carefully "Hints on Transplanting," "The Preparaton of the Soil," "Preparing Trees for Planting," "After Culture." The information under these headings is important, and success in planting will largely depend upon the careful observance of the suggestions made.

CLAIMS

for errors should be made promptly on receipt of goods, as we cannot rectify them unless promptly made.

REMITTANCES

In remitting please use Bank Draft, Express Money Order, or Postoffice Money Order. If check is used add for exchange.

REFERENCES

Ask your home bank to look up our rating in the commercial reports, or write the German-American Bank, York, Nebraska.

NEBRASKA-GROWN, THE CHEAPEST TO BUY AND THE BEST TO PLANT

GENERAL INSTRUCTIONS FOR TRANSPLANT-ING AND MANAGING FRUIT TREES

- 1. PREPARING THE GROUND—Beforeplanting fruit trees the soil (except new ground), should be made mellow by repeated plowing, and where the soil is densely packed, a sub-soil plow should be used and the ground stirred up from twelve to fifteen inches deep. If this is neglected the roots are soon surrounded by an almost impenetrable wall and cannot be expected to live many years. Whenever this system has been practiced, healthy and vigorous trees and fine fruit have been the result.
- 2. RECEIVING AND CARING FOR TREES—Trees are frequently ruined through the lack of care or bad management after they fall into the hands of the purchaser. When trees are received the roots should be covered with a blanket, sack or straw until they reach their destination. The bundle should then be opened and the trees separated from the moss in which they are packed. If the roots have become dry from long exposure, straw should be spread upon the ground, the trees laid upon it, then covered entirely (roots and tops) with straw and the whole well watered. If holes are not yet dug or the ground too wet to plant when the trees are received, dig a trench and lay the trees in a slanting position, so that you can cover up the roots and two-thirds of the body or stalk. In this position let them remain until the holes are dug or the ground is in a suitable condition to receive them.
- 3. DIGGING THE HOLES—If the soil for an orchard has been properly prepared by subsoiling and deep plowing, then the opening of the holes becomes a very simple matter, and really this is by far the easiest, cheapest and best plan; for if the soil is thoroughly pulverized to a depth of from twelve to fourteen inches, all that is necessary is to measure off the distance at which the trees shall stand from one to another and the order of planting. Where only a few trees are to be planted and the soil has not been sub-soiled, or where the trees are to be planted in sod, then the holes ought to be at least four feet wide and eighteen to twenty inches deep, the sub-soil thrown back and the hole filled up to the proper depth with fine top soil to receive the trees.
- 4. PRUNE BEFORE PLANTING—Both root and top should be pruned at time of planting and before the tree is set in the ground. First cut off the ends of the broken and bruised roots with a sharp knife, in a slanting direction on the under side. This will cause the wound to heal over readily, by throwing out plenty of fibrous root at the end. Then cut back each branch or side limb to a bud not more than four to six inches from the body. Then cut back the leader or central limb so as to leave it about four or five inches above the highest side limb. When there are no side limbs the tree should be headed back to a height proper to form a top. None of the lower limbs should be cut off entirely, as it is best to form the heads as low as possible, so that the limbs and leaves will protect the trunk from the direct rays of the sun.
- 5. DEPTH TO PLANT—Immense numbers of trees are ruined by being planted too deep. Most kinds of fruit trees, except dwarf pears and plums on peach and quince roots, should be planted not over two or three inches deeper than they grow in the nursery row. Dwarf pears and plums on peach and quince roots should be set so that the joint where the body and roots are united will be about four inches below the top of the ground. By this means roots will be thrown out from the body that is covered and larger and longer lived trees secured.
- 6. PLANTING—When ready to plant, take from the trench a few trees at a time; place the tree in position and arrange it to the proper depth by filling in or raking back the soil to or from where the tree will stand; then fill in the fine mellow soil between and around the roots with the hand, arranging the roots in their natural position and packing the soil carefully around them. When the roots are barely covered, sprinkle on water to moisten the soil and settle it among the roots; then fill to the top, press the earth very firm around the tree with the foot as you fill in. Throw a bucket of water around each tree to settle the ground, and scatter a little soil on to prevent baking.
- 7. MULCHING—Mulching prevents the moisture from escaping and maintains equitable temperature about the roots. The material used may be long manure, litter, straw, grass or hay, which should be spread on the surface around the tree for the space of four or five feet and three to six inches deep. Bearing trees may be benefited by mulching heavily in winter, which will tend to prevent an early development of the fruit buds and assist them to escape the effect of late frosts.
- **8.** AFTER CULTURE—The trees should be kept free from grass and weeds, and no crops should be grown in the orchard while the trees are young, except such as can be cultivated with the plow or hoe. Cultivate well in the spring and summer.
- 9. AFTER PRUNING—The great majority of people do not take proper care of their trees after planting. This is a great mistake. If a tree or vine does not receive the right kind of care and enough of it when young, it will never attain a healthy old age. Very much has been said

about pruning by various authors. Judging these and our own experience and observation, we would say: The best time to prune fruit trees, and about all kinds of trees and shrubs, is during May and June, May preferred; but be governed by the health and vigor of the tree. We do not advise severe pruning, as too much would injure the tree. Keep all superfluous forks and limbs cut off and the heads in proper shape to admit air and sunshine as long as the tree lives. Currants and Gooseberries should be trimmed late in the fall or early in the spring, before commencing to grow; Grape vines late in November or any time during the winter up to March 1st; after this trimming is apt to excite bleeding or flowing of sap from the wounds. If desirous of getting rubbish removed from the orchard during the winter, cut limbs off eight to ten inches from the body and cut balance off May or June following.

A TABLE SHOWING THE NUMBER OF TREES OR PLANTS TO THE ACRE

Number	Number
Distance of trees	Distance of trees
1 foot apart each way43,560	13 feet apart each way 257
2 feet apart each way	14 feet apart each way
3 feet apart each way 4,840	15 feet apart each way 193
4 feet apart each way	16 feet apart each way 170
5 feet apart each way	17 feet apart each way 150
6 feet apart each way	18 feet apart each way 134
7 feet apart each way 888	19 feet apart each way 120
8 feet apart each way 680	20 feet apart each way
9 feet apart each way 537	25 feet apart each way 69
10 feet apart each way 434	30 feet apart each way 48
11 feet apart each way 360	35 feet apart each way 35
12 feet apart each way 302	40 feet apart each way

RULE—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which, divided into the number of feet in an acre (43,560), will give the number of plants or trees to the acre.

SUITABLE DISTANCES FOR PLANTING

Apples. Standard30 to 40 feet	Grapes 8 to 10 feet
Apples, Dwarf 8 to 10 feet	Currants 3 to 4 feet
Pears, Standard	Gooseberries 3 to 4 feet
Pears, Dwarf 10 feet	Raspberries, Red 3 to 4 feet
Peaches	Raspberries, Black 4 to 5 feet
Nectarines and Apricots16 to 18 feet	Blackberries 5 to 7 feet
Cherries, Sweet	Strawberries, rows by 3½ feet
Cherries, Sour	Strawberries, in beds1½ by 1½ feet
Plums16 to 20 feet	Asparagus, in beds by 1½ feet
Quinces	Asparagus, in field by 3 feet



FRUIT DEPARTMENT APPLES

The apple is the first in importance of all fruits. It will thrive on nearly any well-drained soil. Its period of ripening, unlike other fruits, extends nearly through the whole year. By making careful selection, a constant succession can be obtained. For family use there is no fruit that is more indispensable. No fruit is so healthful and many physicians say that if a person would eat an apple a day they could dispense with doctor bills. Besides this, and just as important, is the fact that the average price on the market is steadily increasing and the immense demand for home consumption, foreign shipping, canning and evaporating assures high prices. The apple if given the same care and attention as other farm crops, will yield greater returns per acre. The following list we consider to be the best.



PRICES

Hardy Standard Apples:	Each	Dozen	Per 100
5 to 6 ft., No. 1, 3 yrs	\$.40	\$4.50	\$35.00
4 to 5 ft., No. 1, 2 yrs	35	3.75	30.00
3 to 4 ft., No. 1, 2 yrs	25	3.00	20.00
1 to 2 ft., No. 1, 2 yrs	20	2.00	15.00

Northwestern Ironclads

Peerless, Estelle, Salome, Hybernal, Pat. Greening, Windsor:	Each	Dozen	Per 100
5 to 6 ft., No. 1, 3 yrs	\$.60	\$6.00	\$50.00
4 to 5 ft., No. 1, 2 yrs	50	5.00	40.00

SUMMER APPLES

Duchess (Duchess of Oldenburg)—Origin, Russia. Season, July and August. Tree upright, vigorous and extremely hardy. An early and annual bearer of uniformly large crops. Fruit large, greenish-yellow, with red stripes. Flesh light yellow, medium fine grained, firm; flavor a pleasant acid; a great cooking favorite and prime market sort. A good shipper for an early apple and commands good prices. Should

be planted in every orchard. The most profitable early apple for commercial purposes.


Early Harvest—Size medium, roundish, usually more or less oblate, smooth, bright straw color when ripe; flesh nearly white, flavor rather acid, fine. Season July. Productive. Needs rich cultivation to be fine. Good throughout the Northern states and Southwest.

V Estelle—Seedling of Duchess apple. Tree a more rapid grower. Fruit almost identical to Duchess as to season and quality.

Red Astrachan—Origin, Russia. Season, July. First imported into England with the White Astrachan from Sweden in 1816. Tree upright, spreading, vigorous growth; an early and abundant bearer. Fruit above medium, greenishyellow, almost covered with mottled and striped crimson; flesh white, crisp, juicy, brisk acid; good.

Red June—Size medium, oblong, very red; flesh white, tender, juicy, sub-acid, with a sprightly agreeable flavor; quite early and continues to ripen for four weeks and will keep long after ripe for a summer apple; profitable for market. The tree is a fine, erect grower, very hardy, bears young and abundantly. A valuable early apple.

Yellow Transparent (White Transparent, Thaler, etc.)—Origin, Russia. Season, July.



Duchess of Oldenburg

Imported from St. Petersburg by United States Department of Agriculture. One of the most valuable early apples. Fruit medium, smooth, transparent skin; clear white, becoming pale yellow when fully ripe; flesh white, tender, fine grained, of splendid quality. Tree is moderately vigorous and a good annual bearer.

AUTUMN APPLES

Chenango Strawberry—Rather large, oblongconic, angular; striped and splashed with light crimson on whitish-yellow ground; cavity, narrow and deep; basin narrow; flesh white, very tender, with a pleasant, mild, sub-acid flavor. September and October.

Fameuse (Snow Apple)—Origin, Canada. Season, October and November. An old and well-known variety. Tree a moderate grower, productive. Fruit medium in size; color pale greenish-yellow, mixed with stripes of red, with splashes of same on shady side; flesh

white, tender and juicy, slightly perfumed; flavor sub-acid, extra good.

Maiden Blush—Of uniformly good size, smooth, round, beautifully flushed with red on creamy yellow ground; flesh tender, of pleasant but not high flavor. A good market sort because of its attractiveness and the tree's heavy crops. September and October.

Peerless—Origin, Minnesota. Season, September to October. Fruit medium to large; yellowish-green with stripes and splashes of carmine; flesh yellowish-white; fine grained; flavor agreeable sub-acid, but not rich. Tree a vigorous, upright grower.

Price's Sweet—Of very strong, upright growth in nursery and orchard. Popular in parts of the West. Fruit medium, regular, oblong, conical, often unequal; surface yellowishgreen, mostly thinly covered with mixed and marbled dull red, obscurely splashed and striped; dots, large distinct, numerous, russet,

rough; flesh yellowish - white, moderately juicy, very sweet, good. October to November.

Rambo — Size medium, oblate, smooth; streaked and marbled with dull yellowish red on pale yellowish ground; dots large, whitish; flesh tender, rich, mild sub-acid, fine flavored, often excellent. Late autumn and early winter.

Utter (Utter's Red)—Origin, Wisconsin; a vigorous, upright grower. Season, September to October. Fruit above medium to large; surface yellow, splashed, mottled, striped and much dotted with bright red. Flesh white, fine grained, tender, juicy, mild pleasant sub-acid.

WINTER APPLES

Arkansas Black—A remarkably handsome crimson-black apple; large, perfectly smooth, roundish flat, lightly dotted with white, the

flesh is yellow, juicy and delicious, keeping

late. December to April.

Baldwin — Origin, Massachusetts. Season, December to March. The great commercial late winter keeper of the Eastern states. Tree a vigorous, open grower, upright in tendency and very productive where hardy. Fruit large, rounded, deep red; flesh rich, crisp and juicy.

Banana—Fine vigorous grower, large healthy foliage; early bearer. Fruit medium to large, smooth and handsome, golden yellow usually shaded with red brush; flesh fine grained, rich, sub-acid, aromatic; highest quality. One of the best dessert apples. A valuable market variety in some sections. Originated in Indiana.

Ben Davis—Origin, Kentucky. Season, January to April. Vies with Baldwin as a profitable commercial variety in many sections; quality not so good, but a better bearer and keeper. Tree very vigorous and hardy in the Central States. Fruit large, handsome, brightly striped with red; flesh medium quality.



Northwestern Greening

Black Ben Davis—So nearly like Gano in every respect that it needs no further description.

Gano—Originated in Missouri. Similar but superior to Ben Davis. It has all the good qualities in a higher degree, more brilliant coloring, runs more even in size, and keeps fully as late. The tree is vigorous and hardy; is a rapid grower; bears while young. Color bright red without stripes or blotches, and large and even in size. Season, February to March.

Grimes' Golden—Origin, Virginia. Season, November to January. Tree vigorous, upright, spreading, a good early annual bearer. Fruit above medium, regular; surface rich golden yellow, sometimes with net veining of russet; flesh yellow, firm, compact, crisp, aromatic, rich, spicy, sub-acid; quality the best. A valuable early winter apple and particularly desirable for its late blooming.

Hibernal—Origin, Russia. Season, November and December. This variety represents what is probably the hardiest type of the Russian race. Tree sturdy, vigorous, very spreading and productive. Fruit large to very large, irregular; greenish yellow with dull bronze red on sunny side; flesh acid, juicy, very good for cooking. Succeeds in the most exposed locations and is popular in the Northwest on this account.

✓ Hubbardston Nonsuch—Large, handsome, yellow, overlaid with red; tender fleshed, with distinct, delightful flavor. Strong grower and heavy bearer. A native of Hubbardston, Massachusetts. Season, November to January. ✓ Ingram—A seedling of Janet. Tree more upright and a better grower. Fruit medium size, roundish, inclined to conical; smooth, yellow ground, striped, bright red, flesh greenish-yellow, delicate, tender, juicy, sub-acid. A late keeper.

Y Iowa Blush—Origin, Iowa. Tree very productive, a strong grower in nursery and orchard. Fruit small, roundish conical; surface smooth, yellow with bright mottled red blush. Flesh white, juicy, mild, sub-acid, good. November to January.

✓ Janet (Rawl's Neverfail)—Medium in size, roundish, approaching oblong or obtuse-conical, often oblique; color pale red, distinct stripes on light yellow ground; flesh nearly white, fine, mild, sub-acid, fine texture, crisp, juicy. Growth slow; a profuse bearer. Keeps through spring. The blossoms open ten days later than usual kinds, thus sometimes escaping spring frosts, and hence the name Neverfail.

Jonathan—Origin, New York. Season, November to January. A seedling of Spitzenburg, which it resembles in fruit, and is a much better tree. Hardy in latitude of Central Iowa, where it is

a vigorous and productive variety. A delicious and strictly dessert apple that always commands highest market prices. Fruit good size, roundish; surface is very smooth, clear light yellow, almost covered with rich dark red on sunny side; flesh white, tender, juicy, spicy, aromatic.

Mammoth Black Twig—Excels Winesap in nearly every important point; a better grower, hardier, and the fruit much larger; color even a darker red; fiesh firmer; flavor milder, but fully equal. A long keeper.



Wealthy

McIntosh Red—Origin, Ontario. Season, December and January. A choice variety of the Fameuse type. Tree vigorous with spreading head; a good annual bearer. Fruit above medium to large, highly perfumed; smooth polished yellow, almost covered with brilliant solid crimson, a beautiful fruit; flesh snow white, crisp, very tender, sprightly aromatic, sub-acid; very good quality.

Missouri Pippin—Large, oblong, bright red with numerous gray dots, very handsome and of fair quality, an early and very abundant bearer, and very profitable orchard fruit; vigorous. December to March.

Northern Spy—Large, roundish conical, often flattened, slightly ribbed; handsomely striped with red; flavor rich, aromatic, mild sub-acid, fine. Keeps through winter and late into spring; a tardy bearer. To afford fine fruit,



Gano

tree must be kept thrifty by good cultivation. A fruit of the highest quality, and profitable for market.

Northwestern Greening—Origin, Wisconsin. Season, December to March. Tree a splendid, vigorous grower, quite hardy. Fruit large to very large; green, becoming yellowish green when ripe; flesh yellow, fine grained and firm; flavor a good sub-acid; very smooth and attractive; should be given plenty of room in the orchard to secure large, even fruit. One of the best growers we have in the nursery and in the orchard, is very prolific and regular when mature.

Patten's Greening—Origin, Iowa. Introduced by C. G. Patten. Season, October to December. A seedling of Duchess of Oldenburg. Fruit large to very large, when well grown; green with often a blush of red or brown; flesh yellowish white, rather coarse, but firm; core small; flavor a pleasant acid. Tree vigorous and spreading, and exceptionally hardy; an early and regular bearer. The fruit is very smooth and attractive and keeps well in home orchard and for market and is highly recommended for general planting.

Rome Beauty—Large, roundish, very slightly conical; mostly covered with bright red on pale yellow ground; flesh tender, not fine grained, juicy, of good quality. Ripens early in winter. The large size and beautiful appearance of this Ohio apple render it popular as an orchard variety.

Salome—Flesh whitish-yellow, half fine, tender, mild, slightly aromatic, very good; January to May. Its hardiness, long keeping, good quality, uniform size, retention of its flavor quite late, makes it valuable for the West and Northwest.

Senator—A very beautiful apple. Smooth, red, flesh white, sometimes faintly pink. Took first premium at the Denver Apple Show in 1910.

Stayman's Winesap—It is now attracting attention everywhere as a profitable market variety. It has large size, bright red color, great productiveness and best quality to commend it. The tree is a vigorous grower and, like its parent, is irregular and drooping in habit, and adapts itself readily to different soils and situations. Season, November to February.

Walbridge — Medium size, striped with red, good cooking; vigorous grower and productive; very hardy and considered of value in the North and Northwest. December to January.

Wealthy—Originated about 1861 by the late Peter M. Gideon, Excelsior, Minn. This one variety is an enduring monument for its originator. Season, September to January. Almost too well known to need description. Since its origination it has become extensively planted in all the apple growing states. Fruit large, regular, smooth, light yellow with crimson stripes and

smooth, light yellow with crimson stripes and splashes; flesh white, often stained with red, tender, very juicy, sprightly sub-acid with delicious aroma. Splendid dessert and cooking apple. Market demand never supplied.

White Winter Pearmain—Rather large, conical, angular or ribbed; light yellowish green, with a brownish-red cheek; stem short; flesh whitish, fine grained, with a mild sub-acid, rich, fine flavor. Is one of the best and most productive winter apples in the West.

Windsor (Windsor Chief)—Medium to large; greenish yellow, suffused with red splashes, becoming quite red when ripe; gray dots, flesh pale yellow, sometimes streaked with red; fine grained, juicy, sub-acid, quality excellent. Tree an upright, moderate grower, becoming stronger as it attains age. Early annual bearer; very prolific. Winter. Originated in Wisconsin.

Winesap—Origin, New Jersey. A valuable, old, well-known variety. Season, December to May. One of the leading export apples. Fruit medium, roundish, skin moderately thick and very tough; dark yellow, almost entirely covered with dark red; flesh yellow, fine grained, firm, rich, crisp, sprightly sub-acid; quality excellent. Moderately vigorous; rather open, irregular head. Very productive; an early bearer.

Wolf River—Origin, Wisconsin. Season, October to January. One of the largest apples

grown. Color yellowish-green with stripes and splashes of carmine, very handsome and showy; flesh nearly white, firm and rather coarse grained; flavor sub-acid, fair to good. Tree vigorous and fairly productive.

York Imperial (Johnston's Fine Winter)— Origin, Pennsylvania. Medium, oblong, angular, oblique, smooth; yellow, shaded red, indistinct red stripes; flesh yellow, firm, juicy, subacid, good. Winter. An excellent shipping apple, always brings high prices.

CRAB APPLES

Within the past few years a good many people have given much attention to improving this class of fruit. Their efforts have been attended with marked success. Crab apples succeed equally well in all sections and are valuable for cider, preserving and jellies, and some of the improved sorts are excellent for eating. Every orchard should contain a few, as the trees are handsome, annual bearers, and usually fruit the second year.

PRICES

							<u>l</u>	ach	Dozen	Per 100
	5 to	6	ft.,	Nø.	1,	3	yrs\$.50	\$5.00	\$40.00
4	1 to	5	ft.,	No.	1,	2	yrs	.40	4.00	30.00
4	3 to	4	ft.,	No.	1,	2	yrs	.25	3.00	22.50


Florence—Origin, Minnesota. Season, August. Originated with Peter M. Gideon, who also produced the Wealthy apple. A hardy, spreading tree; bears young and inclined to over-bear. Fruit medium; color carmine when well colored; flesh yellowish, medium fine, acid; excellent for cooking. A fine jelly crab, and valuable for early market, as well as home use.

Golden Beauty—Medium size; flesh white, fine grained, mild, sub-acid; one of the best crabs grown; tree vigorous grower.

Hyslop—Origin, America. Season, September to October. Tree vigorous where hardy. Blights in some localities. Fruit medium; yellow grounded with heavy shadings of deep crimson and splashes of maroon with heavy blue bloom; flesh fine, firm, yellow, astringent; bears abundantly in clusters, which make tree exceedingly ornamental. Its high color always commands a fancy market price for it. One of the most desirable crabs for culinary purposes.

Martha—Origin, Minnesota. Season, August and September. Tree a vigorous grower and very free from blight. Fruit large, yellow with heavy blush of light red; flesh fine grained, firm; flavor sub-acid, very juicy and exceptionally fine for cooking. Not productive.

Transcendant—Origin, Russia. Season. September. Fruit medium to large; color brownish yellow with blush of carmine; flesh firm and crisp, yellowish, fine grained, very juicy, acid. Tree is a vigorous grower. Hardy. Subject to blight and should not be planted near other orchard trees.



Crab Apple, Martha

Whitney (Hybrid) (Whitney No. 20)—Origin, Illinois. Season, August. Fruit large to very large for a hybrid; yellow, striped with red and mostly covered with red on sunny side; flesh yellow, very juicy and fine grained; flavor rich and almost sweet. Its crab parentage is shown in the health and vigor of the tree. The fruit equals many apples in size and quality.

PEARS

The cultivation of this fruit is rapidly extending as its value is appreciated and the demand is increasing every year, making it one of the most profitable to plant. The range of varieties is such that, like apples, they can be had in good eating condition from August until early spring. The melting, juicy texture, the refined flavor and the delicate aroma of the pear give it rank above all other fruits, excepting the grape. One of the most important points about the management of pears is the gathering at the proper time. Summer pears should be gathered at least ten days before they are ripe, and autumn pears at least two weeks. Winter varieties may hang until the leaves begin to fall, then place in a cool, dry cellar.

When the pear trees are heavily laden the fruit should be thinned when about one-third grown, else it will be poor and the tree injured.

PRICES							
Pears, Standard:	Each	Dozen Per 100					
5 to 7 ft., No. 1, 3 yrs	\$ 75	\$8.00 \$60.00					
5 to 6 ft., No. 1, 2 yrs	60	7.00 50.00					
4 to 5 ft., No. 1, 2 yrs	50	6.00 45.00					
Pears, Dwarf, 3 to 4 ft.	50	6.00 45,00					

SUMMER PEARS

Bartlett—Large size, with a beautiful blush next the sun, buttery, very juicy, and highly flavored; tree a strong grower, bears early and abundantly. A very popular pear. Ripens in August and September.

// Clapp's Favorite—A large, fine pear, resem-/ bling the Bartlett, but without its musky flavor; pale lemon-yellow with brown dots, and fine texture, melting, buttery, juicy with a delicate flavor; tree hardy and productive. August and September.

Early Harvest—Large, golden-yellow, with bright red cheek, quality not the best, but grown extensively for market on account of its size, beauty and hardiness; ripens ahead of Bartlett.

Wilder—Medium to small, greenish yellow with a brownish red cheek; melting, sweet and very pleasant; tree a vigorous grower and good bearer.

AUTUMN PEARS

Duchess d'Angouleme—Very large, greenish-yellow, sometimes russeted; makes a beautiful tree and heavy bearer; buttery, melting and sweet. October and November.

Flemish Beauty—Large, juicy, melting and rich; strong grower and good bearer, very hardy. September and October.

Garber—Large, bright yellow, with red, juicy and good; a splendid canning pear; tree vigorous and hardy, not subject to blight; ripens just after Bartlett.

Kieffer—This is the most popular pear grown; fruit of fine size, rich color and good quality; tree very vigorous and seldom blights; should be picked at maturity and ripened indoors. October and November.

Seckel — Small, rich, yellowishbrown; one of the best and highest flavored pears known; very productive. September and October.

Vermont Beauty—Of medium size, roundish, yellow, heavily shaded with carmine; flesh exceedingly fine, sweet and juicy. The tree makes a strong, healthy growth and bears good crops. October.



Duchess d'Angouleme

CHERRIES

There are few more desirable fruits than the Cherry. They are being planted more and more each year and there is always a brisk demand on the market for good fruit. Aside from their fruit value, they make very ornamental trees for the lawn, especially the Heart and Biggereau varieties, which are strong, vigorous growers, with large glossy leaves, and open, spreading heads. Cherries thrive in most any dry or well-drained soil; the fruit is delicious whether eaten out of hand or preserved. No home garden is complete without a few cherry trees.

PRICES

Cherries:	l l	Each	Dozen	Per 100
5 to 6 ft., No. 1, 3	yrs	.60	\$7.00	\$50.00
4 to 5 ft., No. 1, 2	yrs	.50	6.00	45.00
3 to 4 ft., No. 1, 2	yrs	.45	5.00	40.00
2 to 3 ft., No. 1, 1	yr	.25	3.00	20.00
Cherries, Sweet	, Windsor and Bing:			
5 to 6 ft., No. 1, 3	yrs	\$1.00	\$10.00	
4 to 5 ft., No. 1, 2	yrs	.75	8.00	

Baldwin—One of the best of the Morello type; very large, round, color dark yet almost transparent, stem quite large, medium in length; fruits usually in pairs; flesh sub-acid and very good; it fruits early, is hardy; very productive.

Bing—A new black cherry; originated in Oregon; size large, color blackish purple; flesh very solid and of the highest flavor; tree vigorous, upright, hardy and productive; a fine shipping and market cherry.

Black Tartarian—Very large, bright purplish-black; half tender, juicy, very rich and flavor excellent; tree a vigorous grower and producer. June.

Dyehouse—Partakes of both the Duke and Morello in wood and fruit; a very early and sure bearer; ripens a week earlier than Early Richmond.

Early Richmond—Medium size, dark red, melting and juicy, acid flavor; one of the most valuable and popular of the acid cherries and is unsurpassed for cooking; tree slender grower, exceedingly productive and very hardy; will stand the most severe weather.

English Morello—Medium to large, roundish; dark red, nearly black when ripe; flesh purplish-red, meaty, juicy, slightly astringent and good; very productive. August.

Governor Wood—Large, rich, light yellow with red cheek, juicy and sweet; late June.

Large Montmorency—Large, roundish, red; flesh tender, mildly acid and good quality; larger than Early Richmond and about ten days later; one of the most popular sorts; late June.

Late Duke—Large, heart-shaped, dark handsome red when fully ripe; flesh light colored, sub-acid; flavor good; one of the latest.

Ostheim—Large, roundish, one side compressed, dark red and much darker when fully ripe; flesh liver colored, tender, juicy, sub-acid



Early Richmond Cherry

and very good; early and ripens over a long period.

Windsor—Of Canadian origin and noted for the hardiness of fruit and bud; large, dull red, almost liver colored; substantial and meaty; without doubt the hardiest of the sweets. Popular in the East.

Wragg—Large, roundish, heart-shaped; dark crimson and when fully ripe, black or nearly so; flesh and juice light crimson, firm and good; very productive. One of the hardiest and is usually a sure cropper.

COMPASS CHERRY-PLUM

Compass Cherry-Plum—Originated at Springfield, Minnesota, by M. H. Knudson, through scientific hybridization by applying pollen of the English Morello Cherry and Miner Plum to the blossom of the Sand Cherry (Prunus Besseyii). It is absolutely hardy, wonderfully prolific, frequently producing fruit on young trees in nursery row. In shape, size and coloring of the fruit the characteristics of the Plum and Cherry are about equally divided. Color bright red, deepening as it becomes well ripened, until it reaches a rich dark wine color. Valuable for canning and preserving.

The Compass fills a unique place in the

The Compass fills a unique place in the North, where it stands today as the principal hardy fruit approaching the Cherry, and is especially recommended for planting where cherries of the Morello type are not successful.

PRICES

				Each	Dozen	Per 100
5	to	6	ft.	 .\$1.00	\$10.00	\$80.00
4	to	5	ft.	 75	8.00	60.00
3	to	4	ft.	 50	6.00	45.00

√ DWARF ROCKY MOUNTAIN CHERRY

(Prunus Pumila Besseyii)—A very hardy native dwarf cherry, growing in shrub form. Bears large crops of medium sized black cherries, which when fully ripe are of fair quality; used for cooking and preserving with good results. 3-4 ft. only.



Compass Cherry-Plum

PLUMS

The plum, like the pear and other finer fruits, succeeds best in heavy soil with some clay and being almost entirely free from disease, they can be grown very profitably. Of late years the demand has been growing very rapidly. The finer kinds are excellent dessert fruits of rich and luscious flavor; for cooking and canning they are unsurpassed. For home consumption they should be allowed to remain on the trees until fully ripe, but for shipping they should be gathered a few days earlier. Some of the varieties are inclined to overbear and should be thinned in order to produce perfect fruit. Most all the varieties, especially the native sorts, are extremely hardy and will withstand the most severe weather.

Wolf Plum

PRICES

European, Japanese and Native sorts:

								Ľ	acn	Dozen	Let 100
5	to	6	ft.,	No.	1,	3	yrs	.\$.60	\$7.00	\$50.00
4	to	5	1t.,	No.	1,	2	yrs		.50	6.00	45.00
3	to	4	ft.,	No.	1,	2	yrs		.45	5.00	40.00

EUROPEAN PLUMS

Bradshaw—Very large, dark violet red; flesh yellowish-green, juicy and pleasant; tree vigorous, erect and productive. August.

German Prune—Medium, oval, purplish-blue; rich, juicy and of high flavor; tree vigorous and very productive.

Gold—This was Luther Burbank's first great origination and was his first choice from among twenty million native, hybrid and crossbred seedlings grown by him. Small, slender limbs, a rather dwarfish-growing, but strong tree. One of the hardiest. Color, transparent light golden yellow, nearly overspread with a beautiful blush. One of the handsomest plums in existence.

Imperial Gage—Large, oval, yellowish-green with marbled green stripes, heavy white bloom,

EXPERIENCED MEN GROW TREES OF QUALITY

flesh greenish, juicy, melting, rich and best quality; tree upright and vigorous. September.

Lombard—Medium, roundish-oval, violet-red, juicy and pleasant; adheres to stone; a valuable market sort, hardy and adapted to light soils; nearly always produces a crop.

Moore's Arctic—Grows in large clusters, large, dark purple; flesh very fine; splendid for preserving and dessert; tree vigorous and prolific: fruit is a long keeper.

Shipper's Pride—Large, nearly round, dark purple, juicy and sweet; a splendid shipper and good market variety; tree moderate grower, but productive.

JAPANESE PLUMS

Abundance—One of the best Japan plums. Tree is a very rapid grower, healthy and comes into bearing quite young and yields abundantly; medium size, rich, bright cherry-red with distinct bloom and highly perfumed; flesh light l yellow, juicy and tender and excellent quality; tree vigorous and hardy.

✓ Burbank—Medium to large, orange-yellow, dotted and marbled with red; flesh meaty, yellow, sweet and good; valuable for canning and a good market plum; mid-June. Hardiest and most prolific of the Japan varieties.

Wickson—Large, heart-shaped, deep maroon red; flesh very firm, yellow, sub-acid, rich and good; a good shipping plum; tree upright, but in some localities a shy bearer.

NATIVE PLUMS

Cheney-Large, roundish, oblong, deep mottled red on greenish-yellow ground; blue bloom; flesh yellow, firm and of good quality. Middle of August.

De Soto-Large, oval, orange overlaid with

crimson, numerous dots and thin blue bloom; flesh firm, juicy and high-flavored; one of the best natives in quality.

V Forest Garden-Large, nearly round, deep red when fully ripe with numerous yellow specks; flesh firm, sub-acid, good quality; season late.

Hawkeye—Very large, dark red, handsome, rich and good; tree a moderate grower, with broad shining leaves; hardy and profitable. August.

Klondike-Medium to small, roundish-oval, bright yellow, shaded with red and many small dots; flesh juicy, pleasant, sub-acid; quality good; early August.

Stoddard—Largest American plum known. It is a pure American, but shows strong markings of the Japan type in leaf and fruit; the tree is a good, stout grower, beautiful enough for the lawn. An early bearer and perfectly hardy. August.

Surprise—Large, roundish-oval, dark red with many small yellow dots; flesh pale yellow, firm and of good quality.

Weaver—Large, oblong, flattened at ends, dark mottled red with purplish bloom; flesh firm, meaty and very good; a constant and reg-ular bearer and very hardy.

Wild Goose—Medium to large; roundish-oblong, skin light red and shining, making an attractive market plum; flesh yellow, pulpy and sweet; very popular, but a poor fertilizer. Should be planted with other trees of abundant pollen.

Wolf-Medium to large, yellow mottled with red; flesh yellow, firm and good quality; tree vigorous and a prolific bearer.

Wyant-Medium to large, oblong, purple-red on yellow ground; flesh firm and good quality; one of the most popular of the American sorts.

APRICOTS

A beautiful and delicious fruit; a close relative of the plum and peach, combining the qualities of both. The fruit ripens after the early cherries and just before the plums and peaches. Tree is as hardy as the peach and requires about the same cultivation. It ships well and commands a good price in the markets and for drying and canning, it has no superior. The Russian varieties are the most hardy, earliest and most productive.

PRICES Russian: Each Dozen Per 100 5 to 6 ft., No. 1, 3 yrs. \$.60 4 to 5 ft., No. 1, 2 yrs. .50 3 to 4 ft., No. 1, 2 yrs. .45 \$7.00 \$50.00 6.00 45.00 40.00

juicy, sweet and good quality; hardy; very productive. July.

Alexander (Russian)—Medium to small, light orange, yellow flecked with red; flesh tender, orange with blush on sunny side; flesh sweet. juicy with flavor of the peach; hardy and productive. August.

PEACHES

To secure healthy, vigorous and fruitful trees, the ground must be well drained and kept clean and mellow. Peach trees are easily cultivated and their freedom from disease, the short time it takes to come into bearing and the immense demand for the fruit, makes them extreme-



ly profitable. Peaches are borne on wood of the previous season's growth, and this makes it absolutely essential to prune the trees yearly, remove dead branches and let in light and air. Keep the trees in good shape and you will have splendid returns.

Budded Peaches:	PRICES	Each	Dozen	Per 100
5 to 6 ft., No. 1, 2 y	rs	.\$.50	\$5.00	\$40.00
4 to 5 ft., No. 1, 2 y	rs	40	4.00	30.00
3 to 4 ft., No. 1, 2 y	rs	30	3.00	20.00

Alexander (Cling)—Medium size; greenishwhite, nearly covered with rich red; flesh sweet, juicy; vigorous, productive. Good market peach.

Bokara No. 3 (Free)—Large, yellow with red cheeks; flesh yellow, firm and melting; an excellent keeper.

Champion (Free) — Large, round, quite regular; yellowish-white mottled with red on sunny side; flesh white with red at the pit; one of the best in quality.

Crosby (Free)—Medium to large; orange-yellow splashed with red; flesh yellow, red at pit, juicy and rich; tree hardy and prolific; fruit should be thinned in order to make good sized peaches; a popular market sort. Middle of September.

✓ Early Rivers (Cling) — Large, creamy-white with delicate pink cheek; flesh melting with rich, racy flavor; one of the best for home or market.

Elberta (Free)—The great market peach of the Southwest; perfectly hardy in the North and is believed by many growers to be the best all around peach; color lemon-yellow with blush on sunny side; flesh pale yellow, tender and juicy; tree vigorous; a good shipping peach.

Hale's Early (Semi-Cling) — Medium, greenish-white with red cheek; flesh white, melting, juicy; vigorous, healthy; abundant bearer. July-August.

Hill's Chili (Free)—One of the best; medium to large oval, yellow with red; flesh rather dry, but good. Valuable sort for drying. September.



Champion Peach

Triumph (Free)—Medium to large, round, somewhat flattened, greenish-yellow, broken stripes of purplish-red and pink dots; flesh yellow with red stains, juicy and very good; one of the early sorts.

Wright—An Iowa seedling; tree dwarfish,

spreading, willowy habit; fruit slightly below medium size, light yellow splashed with red on sunny side; flesh white, best quality, small pit. Profuse bearer; has proven to be much hardier than any of the old varieties; worthy of a trial. Season, September.

GRAPES



Everyone should have a few grape vines in the home garden. They require very little cultivation and the returns are so abundant. If proper selection of varieties is made, one may have grapes on the table for several months in the year. They can be trained over fences, trellises, or doorways and thus be ornamental as well as useful. To grow for market, they can be planted on hillsides that are unsuitable for other crops. They should in all cases have a free exposure to the sun and air.

PRICES

Γ)ozen	Per 100
Concord, 2 yrs., No. 1	\$1.50	\$ 8.00
Concord, 1 yr., No. 1	1.00	6.00
Campbell's Early 2 yrs., No. 1	5.00	

Agawam (Red) — Bunch large, compact, shouldered, berry large, dark red or nearly black; flesh tender juicy, vinous and good quality; later than Concord.

Brighton (Red)—Bunch medium to large, quite compact, flesh rich, sweet and best quality, color dark crimson or brownish red; vine vigorous and hardy.

Campbell's Early (Black)—A strong, vigorous and hardy sort; ripens early and bears abundantly; berry large, black with blue bloom; tender, sweet and rich; good market berry; it is a good shipper and long keeper.

Catawba (Red)—Bunches medium, shouldered; berries large, deep coppery red, becoming purple when ripe; flesh somewhat pulpy, juicy, sweet aromatic and rich. One of the latest. Does not ripen well in the North.

Champion (Black)-Bunch medium, compact; berries medium, quality fair; on account

	Dozen	Per 100
All Other Sorts:		
No. 1, 2 yrs	\$3.00	\$15.00
No. 1, 1 yr		

of the vigor of vine, showy fruit and heavy bearing, it is extensively grown for market.

Clinton (Black)—Bunches medium, compact; berries round, small, with thin blue bloom pulpy and juicy; hardy and late; good keeper and valuable as a wine grape.

Concord (Black)—Too well known to need much description; is considered by many to be the best all around grape grown; is extremely hardy, vigorous and productive; bunches large, compact; berries large, juicy, buttery and sweet; will succeed well almost anywhere.

Delaware (Red)—One of the best red grapes; bunch small and compact, berry small, round, beautiful light red; flesh rich, vinous, sweet and delicious; best quality. Good market grape.

Elvira (White)—Bunch medium, shouldered and very compact; berry medium, pale green with yellow shade, sweet, tender and free from foxiness; grown in the West as a wine grape. Empire State (White)—Bunch long and large; berry medium, light green or white, yellow tinged, covered with a white bloom; tender, sweet and sprightly; good keeper.

Green Mountain (White)—The earliest white grape; bunch medium to large, shouldered; berries medium, greenish white, tender, sweet and excellent quality, combines hardiness, fruitfulness, vigor and health.

Janesville (Black)—Its hardiness, vigor and productiveness has made it one of the best black sorts. It is especially adapted to the North: bunch medium to large, short and shouldered; berries round, with slight blue bloom, tender and vinous; quality fair.

Lindley (Red)—Bunch large, long and compact; berry medium, pale red with violet bloom, sweet, juicy, high-flavored and good, hardy and vigorous.

Martha (White)—One of the most reliable white grapes; bunch medium, compact and shouldered; berry medium, greenish yellow with bloom, sweet, juicy and tender; ripens a little earlier than Concord.

Moore's Diamond (White)—A vigorous grower entirely free from mildew and a prolific bearer; bunches large and compact, slightly shouldered; color delicate greenishwhite with yellow tinge when ripe; berries tender, juicy, nearly transparent, sweet, rich; ripens about two weeks before Concord.

Moore's Early (Black)—Bunch large, berry round with heavy blue bloom, quality said to be better than Concord; hardy, prolific; a good market grape; ripens about two weeks before Concord.



Concord Grape



Moore's Early Grape

Niagara (White)—One of the leading white sorts; bunch large, shouldered, compact; berry large, yellowish white, juicy; vinous and sprightly, quality good; skin tough; good for market.

Pocklington (White)—The great vigor and hardiness of the vine with the beauty and size of the clusters, place this in the front rank of white grapes; berry a light lemon-yellow, tender, sweet and fine aromatic flavor; very prolific.

Salem (Red)—Bunch medium, shouldered and compact; vine strong and vigorous; berry large, coppery red, thin skin, sweet and sprightly; a good market berry. Ripens in September.

Vergennes (Red)—Bunch large and compact; berry large, amber red with grayish bloom, tender, vinous, rich, good. Splendid market grape.

Wilder (Black)—Bunch large, compact and generally shouldered; large, black with thin blue bloom, tender, sweet, slightly aromatic, good.

Worden (Black)—A seedling of the Concord; bunch large and compact, berry round, black with blue bloom, pulpy, juicy and very pleasant; ripens several days earlier than Concord.

Woodruff (Red)—Bunch very large, shouldered and roundish; berries are round, red with some bloom, juicy, sub-acid and good.

Wyoming (Red)—Bunch small and compact; berry medium, red, brighter than Delaware; tender, juicy, sweet and very good; a hardy, vigorous and prolific grape. It is one of the best early red grapes.

STRAWBERRIES

Strawberries can be successfully grown in any good garden soil. It is easily placed in the front rank among small fruits and owing to the wide range in which it can be grown, there is always a good market for several weeks of the year. No fruit lends itself so readily to the varied uses of the table or for canning purposes or preserving. The varieties that we list are all standard and the best. "S" or staminate varieties fertilize themselves. "P" or pistillate varieties require to be planted with staminate in order to produce good crops.


PRICES

	Per 100	Per 1000
Senator Dunlap	\$2.00	\$15.00
All other sorts	1.50	10.00

Bederwood (S)—A very desirable early berry; medium to large, very firm, sweet and good. A vigorous grower and enormous yielder.

Brandywine (S)—A good market berry; medium to large; dark scarlet, firm and somewhat acid; a good bearer and does well in clay soil. Mid-season.

Bubach (P)—Large, conical and irregular; dark red or crimson, sweet and good quality; plant vigorous, healthy and a good bearer; popular as a home garden berry and for nearby market. Mid-season.



Senator Dunlap Strawberry

Clyde (S)—One of the best; very large, bright dark scarlet; flesh firm, pinkish-white, quality good and a prolific bearer. Mid-season.

Crescent (P)—Medium size, conical, light red or scarlet; seeds prominent; an old, well-known, popular variety; succeeds in all soils.

Gandy (S) — Large, regular and conical; bright glossy crimson, firm, fine flavor, vigorous and prolific; a fine late sort and a good shipper.

Glen Mary (S)—Berry is large to very large, conical and ribbed, crimson, flesh pinkish-white and good quality; plant strong, healthy and productive; ranks with the best in flavor. Mid-season.

Haverland (P) — Berries are large, long and light red; quality very good; a prolific bearer and plants are strong and healthy.

Michel's Early (S)—Small, dull red, flesh pink, firm and ships well; vigorous and prolific; a good pollenizer for other varieties; very early.

Senator Dunlap (S)—The great market berry; fruit medium to large, regular; bright glossy red; sweet and good quality; exceptionally firm, making it a good keeper and shipper; ripens early and continues a long time; immensely prolific. Mid-season.

Warfield (P)—Plant is a vigorous grower, with long penetrating roots; a good berry for dry seasons; dark crimson, firm, sub-acid and very good; popular as a market variety.



Lucretia Dewberry

DEWBERRIES

The Dewberry is a dwarf and trailing form of the Blackberry. The fruit is highly prized as a market fruit owing to its large size and fine quality. Set the plants two feet apart in the row and cover in winter with coarse litter. Should be mulched in the spring to keep them off the ground.

Austin—Glossy shining black color; flavor is most excellent and when fully ripe will fairly melt in your mouth; has the hardy characteristics of the Dewberry family; very productive.

Lucretia—Perfectly hardy and remarkably productive; said to be the best of this class of fruit; ripens early; is often one and one-half 1 year Dozen, \$1.00 Per 100, \$5.00

inches long by one inch in diameter; sweet, luscious and melting; this variety is recommended most highly.

V Premo—Very large, jet black and good, crop ripens fast and evenly from seven to ten days earlier than Lucretia; is better and firmer in quality; an extra early sort.

BLACKBERRIES

Blackberries are among the best known and most valued of our berries. No fruit of any kind is more wholesome. A liberal use of berries and other good fruit will save doctors' bills. Blackberries should be planted in rows six or seven feet apart, three to four feet in the row. Keep the ground light, rich and clean, and pinch the canes back when they have reached four feet in height. The demand for blackberries is always good.



Snyder Blackberry

Early Harvest—One of the earliest, berry medium sized, good quality and very prolific; firm and attractive in appearance. A good market sort.

Eldorado—Vine is vigorous and hardy; berries are very large, black, borne in clusters; ripens well together; sweet, melting and pleasing to, the taste.

Erie—One of the very best large new blackberries; absolutely hardy, very black, firm and solid; ripens early.

VMersereau—Large, oval, sparkling black, sweet, rich and melting, hardy and productive.

Rathbun—A strong, erect grower and hardy; fruit is sweet, luscious, without a hard core; high flavor; jet black, small seeds; firm enough to ship and handle well. One of the largest sized berries.

Snyder—The hardiest blackberry known; fruit medium sized and of a good quality; a standard market variety.

Stone's Hardy—A vigorous grower; berry glossy black and of a good flavor. A little later than the Snyder; very hardy.

Taylor—Large, oblong, soft; juicy, sub acid and rich; later than Snyder.

Wilson's Early—Very large, black, sweet, rich and good quality; ripens early and is productive.

RASPBERRIES

The Raspberry is one of the most delicious and popular fruits grown. They are always in demand in season and command good prices on the market. For canning purposes they are unexcelled. They are easily cultivated and require little care. Cut out the old and weak shoots each year; plant in good soil in hills about four feet apart. With a little care and attention they will produce large crops of berries. For winter protection, bend the canes over and cover with straw or leaves and remove early in the spring.

2 yrs., No. 1......Dozen, \$1.50 Per 100, \$8.00

Brandywine (Red)—Large, bright and very firm; a good market berry and valuable for its shipping qualities.

Cardinal (Red)—One of the new sorts; it is extremely hardy and productive; fruit is rich, red and highly flavored. It is the opinion of leading horticulturists that it is the best of the good varieties now being grown.

Columbian (Red)—Resembles the Shaffer, but is much better; the berry is firmer, dark red and adheres to the bushes much longer; a strong grower, attaining large size. One of the hardiest and most productive and stands at the head for canning, jams, etc.

Cumberland (Black)—The largest of all black caps; a healthy, vigorous grower, throwing up stout, stocky, well branched canes that produce immense crops of magnificent berries. Fruit very large, firm, quality about the same as Gregg; keeps and ships as well as any of the blacks. The most profitable market variety.

Cuthbert (Red)—Large, bright scarlet-crimson, excellent quality, firm, juicy and refreshing, vigorous grower, hardy and productive. Very popular as a home garden and market berry.

Eureka (Black)—Berry medium to large, round, firm, juicy and good quality. Has a long season and is valued as a splendid market sort.

Gregg (Black)—Of good size, fine quality, productive and hardy, firm, sweet and rich; strong grower and good bearer. Ripens late and evenly. Good market berry.

Kansas (Black)—Large, round and firm, moderately juicy, strong grower Ripens early. and very productive. Considered one of the best market berries on account of its handsome appearance.

Loudon (Red)-Large, firm and of good quality; dark crimson; very productive, hardy and vigorous.

Marlboro (Red)—The largest early red; bright scarlet, sub-acid, pleasant and good; hardy and productive.

Miller (Red)—Bright red color; is a healthy, vigorous grower, canes strong, well adapted to carrying their heavy load of berries; firm and a good shipper; an early ripener.

Minnetonka-Ironclad (Red)—Medium size, bright scarlet, sweet, rich and good quality. Considered by some to be equal to Turner and in some places better.

Munger (Black)—Resembles the Gregg; excels it in size and flavor and also a better shipper; sweet, juicy and good; large and of fine quality; a strong, vigorous grower and extremely hardy.

Turner (Red)—A fine old variety and a general favorite everywhere; owing to its good

Older (Black)—One of the lately introduced varieties which has been receiving considerable attention in the Northwest. Ripens a trifle in advance of Gregg. Fruit similar to Gregg in size, but is very distinct from all other black caps in general appearance; jet black, sweet

1 yr., No. 1......Dozen, \$1.00 Per 100, \$5.00

and of excellent quality; hardy; adheres well to the bush.



size, fine appearance and great productiveness is a profitable market sort. A strong grower and produces good crops annually.

Plum Farmer (Black)—A vigorous, stocky growing black cap, very healthy and attractive in appearance; productive, bearing heavy crops of large, fine jet black berries; excellent quality and a good shipper. One of the most valuable market berries, as it commands top prices.

CURRANTS

The Currant is one of the most valued of the small fruits. They mature just before raspberries and can be used either raw or cooked. Being very hardy, they do not winter-kill and are easy of cultivation, requiring little care. They can be grown in any good garden soil.

PRICES

Perfection\$5.00	Per 100
Σ επτευτοπ	
All other sorts: 2 yrs., No. 1	\$15.00 10.00

Black Champion - Very productive, large bunch and berry, excellent quality and a strong

Black Naples-Very large, black, rich, tender and excellent for jellies and wine; very productive.



Fay's Prolific Currant

Black Victoria—An English variety of exceptional merit; said to be the largest black currant in cultivation; good flavor and very pro
White Dutch—Clusters two to ductive.

Cherry—Large, deep red; rather acid, short branches, very productive.

Crandall—A seedling of the Missouri River wild currant, much larger and much more pro-

Fay's Prolific—A cross between the Cherry and Victoria; one of the most popular of the red currants and immensely prolific.

Lee Prolific-A new English variety; the fruit is large and of superior quality; vigorous and immensely productive. Is classed with the black varieties.

✓ Long Bunch Holland—One of the best late varieties; bush very vigorous and hardy, clusters long; berry medium to large, bright red and good quality.

> North Star—Said to be the strongest grower among the red varieties; bunches average four inches in length and are freely produced; extra quality and extremely hardy.

Perfection—Berries are a beautiful bright red and larger than Fay's Prolific. In quality it is said to be superior to anything in the market today; rich, mild, sub-acid flavor, with plenty of pulp and few seeds; clusters are long and size of berry is maintained to the end.

Pomona-Fruit of good size and flavor: bright red; has long stems and hangs in fine condition after ripening; is a good shipper; bush bears early and is wonderfully prolific. Good market sort.

Red Cross—A strong growing variety with long clusters; berry medium to large, bright red, mild; good quality and fine flavor.

Red Dutch-An old well-known standard variety; berries dark red, sub-acid and sprightly flavor; clusters medium to large.

Versailles-A French variety resembling the Cherry; deep red, bunch and berry large and handsome; very productive.

Victoria—Clusters medium, berries medium to large, bright red, mild sub-acid. One

White Dutch—Clusters two to three inches long; berries medium, translucent, a little darker than white grape; quality excellent and ripens early, vigorous and productive.

White Grape—Bush vigorous and productive; clusters long; berries large, very attractive, mild flavor and good quality; a good table variety. Distinct from White Dutch.

Wilder-Clusters above medium length and berries large, bright red, of excellent quality, with mild, sub-acid flavor; ripens early and is a good keeper.

GOOSEBERRIES

This fruit is very useful for cooking either green or ripe and is used for canning extensively. Requires the same cultivation and treatment as Currants.

PRICES

Dozen Pe	
Industry, 2 yrs., No. 1	
Houghton, 2 yrs., No. 1. 2.00	\$12.00
	18.00

Champion (Oregon)
—Berries medium size,
round, smooth, greenish-white with thin and
transparent skin; good
quality, ripens early;
bush vigorous and very
free from mildew.


Downing—Large and round, light green, with distinct veins; fruit is soft, juicy and finely flavored; vigorous and productive variety; skin smooth. One of the best.

Houghton—Size medium, pale red, sweet and juicy; is a vigorous grower, abundant bearer and free from mildew.

Industry—One of the best English varieties yet introduced; berries very large, dark red,

hairy, rich and agreeable; bush vigorous and a great producer.

Pearl—Similar to Downing, but fruit a little larger, very hardy, free from mildew and very



Pearl Gooseberry

productive. Valuable for home use or market.

Smith's Improved—Bush moderately vigorous, very productive; fruit large, pale yellow, thin skin. Excellent for dessert or cooking.

OUINCES

The Quince is attracting a good deal of attention as a market fruit. The tree is hardy and compact in growth and requires little space; is productive, gives regular crops and comes into bearing early; the fruit is much sought for canning. When put up in the proportion of one quart of quinces to about four quartts of other fruit, it imparts a delicious flavor. It will grow in any good garden soil, which should be kept mellow, and well enriched. Fruit should be thinned out if it bears too freely.

Champion—Very large and handsome; flesh cooks as tender as an apple without hard spots; flavor delicate; tree very handsome and bears ahundantly; valuable sort; greenish-yellow.

Meech's Prolific—Very large, bright yellow; quality very good and quite fragrant; bears

early and is very productive; one of the best. Mid-season.

Orange—Large, roundish, somewhat irregular with a small and short neck at the base; fine golden-yellow flesh and of excellent flavor. October.

MULBERRIES

The Mulberry is valued as an ornamental shade tree and the fruit is quite popular in some sections. Should be planted in deep, rich sandy loam. Requires little care and is of easy culture. The fruit is sprightly and refreshing and is a valuable addition to any fruit garden.

WHEN YOU BUY A HORSE YOU WANT THE BEST AND ARE WILLING TO PAY THE PRICE

PRICES

				Lacination	ch Doze	en Per 100
Ę	, ·	to	G	ft\$.	30 \$3.0	00 \$20.00
4	Į .	to	5	ft	25 2.5	50 17.50
Ę	3 1	to	4	ft,,		00 15.00

Downing's Everbearing—A beautiful tree for the lawn or street; bears an abundant supply of sweet, refreshing fruit for several weeks; berries are about one and one-half inches long; color blue-black.

New American—Equal to Downing in all respects and a much hardier tree; vigorous grower and very productive; ripe from middle of June until September; color black.

ASPARAGUS

This delicious and healthy vegetable should be found in every garden. Nothing can be more easily grown and no plant gives such a healthful food for such little outlay. Set in the fall or spring with the crown of the plant about three inches below the surface of the ground. Ten to twelve inches by two feet is a good distance to plant.

Prices Dozen, 50c Per 100, \$3.00

Barr's Mammoth—The largest of all, is very early, and quite tender and delicious; light color. The yield is simply enormous.

Columbian—A distinct variety of mammoth size, great yield and superior quality. Remarkable for the clear whiteness of its stalk, which retains the clearness of its color until several inches above the surface.

Conover's Colossal—A standard kind of firstclass quality. Tender and high flavored; valuable market and garden sort.

Palmetto—Extensively grown for market on account of earliness, large size and fine appearance.

Russian—A very hardy rapid-growing, limber tree of great value, especially in the West; foliage abundant and said to be very desirable for silk worm culture; fruit good size and produced in large quantities. Introduced into this country by the Minnonites.

White—This is the variety used most for feeding silk worms; it forms a large spreading tree.

RHUBARB OR PIE PLANT

This very desirable vegetable comes early in the spring. The large stems of the leaves are used for pie-making and stewing. It is also valuable for medicinal purposes. A deep, rich soil is indispensable to secure large, heavy stalks. Plant in rows four feet apart, with the plants three feet distant. Set so that crowns are about one inch below the surface. Top dress in the fall with stable manure and fork under in the spring.

PricesDozen, \$1.50 Per 100, \$8.00

Linneaus—This variety produces a small stem, fine quality; early; excellent for cooking.

Victoria—Very large and valuable for market. Early.

MISCELLANEOUS

	Dozen
Strawberry-Raspberry	 \$1.50
Dwarf Juneberry	 3.00
Logan Berry	 2.00
Buffalo Berry	 3.00
Blueberry	

NUT TREES

For prices see price list, page 59



American Sweet Chestnut

There has been more attention paid to the planting of nut trees the last few years than ever before. Few farms but contain land that, if planted to nut-bearing trees, would pay better than anything else to which it could be devoted. Besides the value of the wood for commercial purposes, the crop of nuts of nearly all kinds commands a high price in the market.

✓ Butternut (White Walnut)—A native of the Eastern states. It is a beautiful growing tree and yields a large nut with a rough hard shell within which are full white oily kernels, sweet, rich and of the most delicate flavor; tree has a wide spreading head, reddish colored, dark foliage; is a native of this country and well adapted to nearly all sections.

Chestnuts (American Sweet)—The American Sweet Chestnut is much superior to both the European and Japanese kinds, although it does not as yet approach in size to either of them. Chestnuts are much easier to propagate than other nut trees and come

into bearing earlier. It does not do well in limestone or clayey soils, or in wet boggy land. The nut is sweet and well flavored; makes a valuable shade tree for either street or lawn.



Pecan

Chestnut (Japan)—Very distinct from all other chestnuts, dwarf grower, productive, usually producing nuts when two or three years old. Nuts of immense size, far surpassing all other kinds; of fair quality when outside skin is removed.

PECANS

Good budded or grafted trees of good prolific varieties properly planted and cared for under proper conditions, usually begin to bear a few nuts in five or six years after planting, and should produce a profitable crop in eight or ten years from planting, after which the yield should be abundant for many years.

The pecan is a very deep-rooted, hardy, long-lived tree, and is infested with fewer insect pests or diseases, perhaps, than any other fruit or nut tree of anything like equal importance; and when planted on land naturally rich and moist, the tree will thrive with little care or attention after well established, but there is no tree that responds more liberally to good treatment than does the pecan.

WALNUTS

Black Walnut (Juglaus Nigra)—This species is a common and stately forest tree in the Middle and Western states; grows from forty to sixty feet high; has an open, spreading head and is rapid in growth; produces large crops of nuts with rough hard shell containing rich oily kernels of fine flavor.

Japanese Varieties

Sieboldiana—If it produced no nuts, it would be well worth cultivating as an ornamental tree; is a vigorous grower and produces nuts borne in clusters of 12 to 15 each; has a smooth shell, thicker than the English, much resembling pecans; meat is sweet and good flavor; tree is perfectly hardy.

ORNAMENTAL DEPARTMENT



There is nothing that adds so much to the beauty of the home place as shrubs, trees and flowers. Care should be taken to make the selection so that the general effect will be harmonious. A good many people spoil the surroundings by filling the grounds with all sorts of shrubs, giving no attention to the height or time of blooming, placing a low-growing shrub behind a tall one and planting without regard to design or uniformity. This is really worse than none at all. We will be glad to make suggestions, and help you select the varieties that are best adapted to the grounds surrounding your home, that will produce a pleasing effect and increase the value of your property.

If the grounds surrounding the house are extensive, beautiful effects can be produced by planting shade trees, shrubs, vines and flowers according to some pre-arranged plan. If the grounds are small, a few shrubs such as the Altheas, Hydrangeas, Spireas and other sorts can be used to good advantage. Vines trained over porches, trellises, fences, etc., can be made very effective at a small cost. Real estate owners who have vacant property to sell are beginning to plant fine trees and shrubs, knowing that they can secure a larger percentage on their investment, as purchasers will pay more for a fine locking lot than one given over to unsightly surroundings. We would also emphasize the fact that you should **buy none but the best.** A little thought will convince you that it is not the quantity, but the quality that counts. Buy none but the best stock, properly grown by reliable nurserymen, who have given their best thought to the careful propagation and best varieties. We have a large stock of all kinds of shade trees, ornamental shrubs, etc., that has been selected with the greatest care and attention, both as to variety and quality.

HOW TO PLANT

A fine, well-cut lawn is one of the handsomest features of a place. Trees and the larger shrubs may be planted along a lane or avenue leading to the house, or dotted about the lawn on lines radiating from it. This will secure light, air and a good view from the house. In laying out the grounds, take into consideration economy in labor, and make as few walks as possible. Upright shrubs, roses and flowers should be planted in clumps, each kind by itself, and aovid making the lawn look like a checker board. These beds should be well cultivated and the plants pruned annually. Mass the trees and beds on the boundaries so as to leave a broad space for the lawn, and where there is a pretty view leave an opening. Where there is an unsightly object, conceal it by planting trees or climbing vines. Do not plant large trees near the house, except enough on the sunny side for shade.

Plant shrubs and small trees twice as thick as they should be when fully grown. This will make a good showing at once, and when the growth of the plants has made them too thick, some should be taken out. It will not do to plant so little that years must elapse before a fine effect can be produced, but, by planting a surplus at first, they can gradually be taken out.

VINES

Should be planted near to and allowed to climb upon and about the house, or trained on posts, trellises, arbors or stakes placed in suitable locations on the lawn.

Groups of trees and shrubs possessing bright-colored bark or foliage, and groups of flowering trees and shubs, are highly effective when in blossom and should be more generally planted.

Weeping trees are especially desirable on small lawns.

NEW VARIETIES

We are constantly adding to our list of ornamentals, as well as in other departments. Before placing new varieties on the market, we give them a thorough trial in the nursery, and thus weed out undesirable varieties, offering only the best in each class.



Evergreens

VARIETIES NOT LISTED

In every large, well-conducted nursery there are many varieties of extra size, but in too small quantities to list in the catalogue; also new varieties which have not been thoroughly tested. If you wish any variety in a special size or variety not listed, write to us for special quotations, and if we have it in stock, we shall be pleased to supply.

EVERGREENS

For prices see price list, page 59

ARBOR VITAE. Thuya

American Arbor Vitae (T. Occidentalis)—A beautiful native tree commonly known as the white cedar; valuable for screens and hedges.

Chinese Arbor Vitae (T. Orientalis)—The hardiest for the West.

FIR. Abies

Balsam Fir (A. Balsamea)—A very erect, regular pyramidal tree with dull, dark green foliage; rapid growth and very hardy.

Concolor Fir (A. Concolor)—A very beautiful species with yellow bark on the young branches; leaves green, arranged in double rows; equal in color and beauty to the Colorado Blue Spruce.

JUNIPER. Juniperus

Irish Juniper (J. Communis, var. Hibernica)
—A distinct and beautiful variety of erect,
dense conical outline, resembling a pillar of
green.

Swedish Juniper (J. Communis, var. sueciea)
—A small sized handsome pyramidal tree
with yellowish-green foliage; quite hardy.

PINE. Pinus

Austrian or Black Pine (P. Austriaca)—A native of Syria; tree robust, hardy and spreading; leaves long, stiff and dark green; rapid growth; very valuable for this country.

Bull Pine (P. Ponderosa, var. Scopulorium) —Forms a stout, spreading tree; a rapid grower; branches heavy and rough coated with bark; foliage dark green, the needles growing out at right angles to the wing; very hardy.

Jack Pine (P. Divaricata)—The most northern of all American pines; valued for its extreme hardiness and vigor; withstands long drouths and hot dry winds; of rather irregular and shrubby growth; foliage bright green, needles short and stiff.

Scotch Pine (P. Sylvestrus)—A native of Europe; a fine, robust, rapid-growing tree with stout, erect shoots and silvery-green foliage; very hardy.

White Pine (P. Strobus)—The most ornamental of all our native pines; foliage light, delicate silvery green; will grow in the poorest of sandy soils. A long-lived tree and rapid grower.

SPRUCE. Picea

Black Hills Spruce (P. Nigra)—A beautiful tree with drooping branches and fine yew-like foliage; perfectly hardy.

Colorado Blue Spruce (P. Pungens)—One of the most beautiful and hardy of all the spruces; in form and habit similar to the White Spruce; foliage a rich light bluish-green.

Douglas' Spruce (A. Douglasii)—A native of Colorado; large, conical form; branches spreading, horizontal; leaves light green above, silvery white below.

Englemann's Spruce (P. Engelmanni)—Resembles the Colorado Blue Spruce in general effect; foliage coloring from bluish-green to steel blue; needles are not as long and are more soft and flexible.

Koster's Blue Spruce (P. Pungeris, var. Kos-



Colorado Blue Spruce

teriana)—A type of the Colorado Blue Spruce; it is the highest colored and most striking of all the Evergreens for lawn planting; the foliage is a rich and beautiful silvery-blue; very hardy.

Norway Spruce (A. Excelsa)—From Europe. An elegant tree; extremely hardy, of lofty, rapid growth and pyramidal form. The branches assume a graceful, drooping habit when the tree attains 15 to 20 feet in height. One of the most popular evergreens for plant-

DON'T LET YOUR NEIGHBOR GROW ALL THE FLOWERS
TRY A FEW FOR YOURSELF

ing, either as single specimen trees, or in masses for effect or shelter. It is one of the best evergreen hedge plants.

UPRIGHT DECIDUOUS TREES

For prices see price list, page 59

AILANTHUS. Tree of Heaven

A. Glandulosa—From Japan. A lofty, rapid-growing tree, with long, elegant, feathery foliage, free from all diseases and insects. One of the most distinct of ornamental trees.

ALNUS. Alder

European or Common Alder (A. Glutinosa)—A remarkably rapid-growing tree, attaining a height of from 30 to 60 feet. Foliage roundish, wedge-shaped and wavy. This species is specially adapted to moist situations.

Imperial Cut-Leaved Alder (Var. Laciniata Imperialis)—A stately tree, of graceful habit, with large and deeply laciniated foliage; at the same time vigorous and perfectly hardy. Unsurpassed as a lawn tree.

ASH. Fraxinus

American White Ash (F. Americana)—A well-known native tree; tall, very straight, with broad, round head and dense foliage. (See Common Shade Trees.)

European Ash (A. Glutinosa)—A lofty tree of rapid growth, with spreading head and gray barred pinnate leaves and black buds.



Catalpa Bungei (See page 29)

White Spruce (P. Alba)—A native tree of medium size and pyramidal form; bark light colored and foliage silvery-gray; very hardy.



Scotch Pine (See page 27)

Green Ash (F. Lanceolata; F. Viridis)
—A tree of medium size with slender, spreading branches forming a shapely round head; grows 50 to 60 feet high.

BEECH. Fagus

American Beech (F. Ferruginea)—A large, stately native tree with smooth bark, spreading branches and symmetrical head; grows 80 to 100 feet high; one of the handsomest trees for lawns or streets.

Purple-Leaved Beech (F. Purpurea)—Originated in Germany. An elegant, vigorous tree, growing 50 to 60 feet high; the foliage in spring is a deep purple, changing to crimson in the fall.

BIRCH. Betula

European White Birch (B. Alba)—Remarkable for its elegance. A graceful tree with silvery bark and slender branches; quite erect when young, but afterwards assumes an elegant drooping habit, rendering it very effective for land-scapes or lawns.

Purple-Leaved Birch (B. Atropurpurea)—A variety possessing the vigorous habit of the birches and having purple foliage; branches slightly pendulous.

CATALPA

Chinese Catalpa (C. Bungei)—A remarkable species forming a dense, round, umbrella-like head; makes a beautiful lawn tree when grafted or budded on a high stem.

Hardy Catalpa (C. Speciosa)—A variety which is said to have originated in the West; it is very hardy and a rapid grower and is being extensively planted for commercial purposes; has broad deep green leaves and beautiful large blossoms, making it a highly ornamental tree for lawn or street. Valuable for planting in groves for growing poles, posts and railroad ties.

CHERRY. Cerasus

Common Wild Bird or Pin Cherry (C. Pennsylvanica)—Suited to rocky, sandy and poor soils. White flowers and bright red fruits that attract birds.

Double White Flowering Cherry (C. Avium, alba flore pleno)—At period of flowering in May is a beautiful and attractive tree; the flowers are numerous and present to the eye nothing but a mass of bloom; valuable variety.

CHESTNUT. Castanea

American Sweet Chestnut (C. Americana)—The well-known variety. A stately tree with spreading head; when in full bloom, one of the handsomest trees; produces a quantity of edible nuts.

CHESTNUT, HORSE. Aesculus

Common or White Flowering (A. Hippocastanum)—A handsome tree of regular form with showy foliage and covered in the spring with panicles of white flowers marked with red. As a lawn or street tree it has no superior.

Double-Flowering Horse Chestnut (A. H. var. alba flore pleno)—A superb tree with double white flowers in large panicles and of fine pyramidal habit; it is one of the best of the ornamental trees.

Ohio Buckeye (A. Glabra)—A native of the Western states forming a large sized tree; leaves are smooth and the flowers yellow; blooms before other varieties.

Red Flowering Horse Chestnut (A. H. var. rubicunda)—One of the finest trees in cultivation; flowers a showy red; blooms a little later than the white; when the two varieties are planted together they make a very effective contrast.

CRAB. Pyrus

Bechtel's Double-Flowering Crab (P. Angustifolia)—One of the most beautiful of the flowering crabs; tree of medium size, covered in early spring with large, beautiful fragrant flowers of a delicate pink color; very popular for lawns, as it blooms when quite young.

DOGWOOD. Cornus


Red-Flowering Dogwood—A variety producing flowers suffused with bright red; blooms when quite young. One of the finest flowering trees.

White-Flowering Dogwood (C. Florida)—Grows from 20 to 25 feet high; spreading, ir-

regular form; flowers produced in spring before the leaves appear, about 3½ inches in diameter, white and showy; very durable, lasting two weeks; foliage is a grayish-green, glossy and handsome, turning to a deep red in the fall. A valuable tree for ornamental planting.

ELM. Ulmus

American White Elm (U. Americana)—A magnificent tree growing 80 to 100 feet high, with drooping, spreading branches; one of the grandest of our native trees; makes a beautiful lawn or street tree. (See Common Shade Trees.)



Catalpa Speciosa

English Elm (U. Campestris)—An erect, lofty tree of rapid, compact growth, with smaller and more regularly cut leaves than the American; the branches project almost at right angles, giving the tree a noble appearance.

Huntingdon Elm (U. Huntingdoni)—A very handsome tree of erect habit, rapid, vigorous growth; bark clean and smooth. One of the finest of this family.

Purple-Leaved English Elm (Var. Stricta Purpurea)—A striking variety with erect branches and purple leaves.


Red or Slippery Elm (U. Fulva)—Not so large as the American; foliage larger and head more open; inner surface of bark used extensively for medical purposes.

HACKBERRY. Celtis

American Nettle Tree (C. Occidentalis)—A rare native tree with numerous slender branches which spread horizontally, and thick rough bark; apple-like foliage, but more pointed and a bright shiny green; a very desirable tree for street planting.

KENTUCKY COFFEE TREE Gymnocladus

A very ornamental, hardy tree of upright, rapid growth with rough bark and coarse branches; foliage of a bluish-green color; flowers white followed by long pods. The name coffee tree comes from the fact of the seeds in the pods having been used by early settlers as a substitute for coffee.



Linden

LARCH. Larix

American Larch (L. Americana)—A tall tree, forming a pyramidal head; bark reddish-brown, branches slender; leaves long and slender, of a light blue color; canes small and oval; makes a very beautiful lawn tree and is also serviceable as a windbreak.

European Larch (L. Europea)—A native of the Alps of the south of Europe; an elegant growing, pyramidal tree. Valuable for timber.

LINDEN. Tilia

American Linden or Basswood (T. Americana)—Grows about 60 feet high, rapid growing, large size, forming a broad round-topped head; leaves broadly oval, dark green above, light green underneath; flowers are creamywhite and fragrant; a splendid street or lawn tree.

European Linden (T. Europea)—A very fine pyramidal tree of large size with large leaves and fragrant flowers; the leaves change in the fall to beautiful tones of yellow and brown.

European Broad-Leaved Linden (T. var. platiphylla)—A tree about the same size as above, but distinguished by its larger and rougher leaves and more regular growth.

Silver-Leaved Linden (T. Argentea)—Showy, heart-shaped foliage, light green above and silvery underneath; grows about 40 feet high; its handsome form and foliage make it one of the best of our ornamental trees.

LOCUST. Gleditschia

Honey Locust (G. Tricanthos) — A rapid-growing native tree with powerful spines and delicate foliage; the greenish flowers appearing in early summer are followed by flat pods 8 to 10 inches long; used extensively for hedges.

LOCUST or ACACIA. Robinia

Black or Yellow Locust (R. Pseud-acacia)—A native tree of large size, rapid growth and valuable for timber as well as ornamental; flowers are white or yellowish, very fragrant and appear in June.

MAGNOLIA

Cucumber Tree (M. Acuminata)—A majestic pyramidal tree growing to a height of 90 feet with large bluish-green leaves 6 to 8 inches long; flowers yellowish-white; fruit when green resembles a cucumber.

Soulang's Magnolia (M. Soulangeana)—A large shrub or small tree; leaves dark green, expanding after the flowers have fallen; flowers large cup-shaped, white flushed with rosy pink and quite fragrant.

MAPLE. Acer

Box Elder or Ash-Leaved Maple (A. Negundo)—Large spreading tree of rapid growth, 70 feet high; foliage smaller than in other maples; very frequently planted for windbreaks and timber; very hardy. (See Common Shade Trees.)

Norway Maple (A. Platanoides)—A large, handsome tree, with broad, deep green foliage; has a very compact growth; attains a height of 100 feet; a valuable tree for parks, lawns or streets.

Schwedlers Maple (A. Platanoides Schwedlerii)—A beautiful variety with very large bronze-red leaves and young shoots of the same color; a vigorous grower and a most effective ornamental tree; grows about 50 feet high.

Silver-Leaved or Soft Maple (A. Dasycarpum)—A rapid-growing tree of large size, irregular rounded form; foliage bright green above and silver beneath; a favorite street and park tree; attains about the same height or taller than the Norway. (See Common Shade Trees.)

Sugar or Hard Maple (A. Saccharum)—A well-known native tree, valuable both for the production of sugar and wood. Very desirable as an ornamental shade tree.

Wier's Cut-Leaved Maple (A. Wierii Laciniatum)—A variety of the silver-leaved and one of the most beautiful with cut or dissected foliage; rapid growth, shoots slender and drooping. Ranks among the best as an attractive lawn or street tree.

MOUNTAIN ASH. Sorbus

European Mountain Ash (S. Aucuparia)—A fine tree with dense and regular head; covered from mid-summer to winter with great clusters of bright scarlet berries.

Oak-Leaved Mountain Ash (S. Quercifolia)—A hardy tree of fine pyramidal habit; foliage deeply lobed, bright green above and downy underneath. One of the finest lawn trees.

MULBERRY. Morus

Russian Mulberry (M. Alba Tartarica)

—See Mulberries, pages 23-24. White Mulberry (M. Alba)—See Mulberries, pages 23-24.

OLIVE. Eleagnus

Russian Olive (E. Augustifolia)—A very large shrub or small tree; leaves narrow and silvery-white, flowers yellow and fragrant; very hardy.

OAK. Quercus

Black Oak (Var. Tinctoria)—Beautiful colored foliage in autumn.

Chestnut Oak—(Q. Prinus)—One of the finest species; leaves resemble those of the chestnut.

Mossy Cup or Bur Oak (Q. Macrocarpa)—Native tree of spreading form. Foliage deeply lobed, and the largest and most beautiful among oak leaves. Cupbearing, acorn-fringed and bur-like. Bark corky. One of the noblest of the family.

Pin Oak (Q. Palustris)—A magnificent tree for lawn and street planting, with deep green foliage which changes to a rich scarlet and yellow in the fall. A most shapely and graceful tree.

Red Oak (Q. Rubra)—Makes a tree of great height, 80 to 100 feet; a native of large size and rapid growth; leaves dark dull green, turning to orange and brown in autumn; acorns very large; a beautiful specimen tree for park and street planting.

Scarlet Oak (Q. Voccinea)—A rapid-growing pyramidal tree, especially beautiful in the fall, when the foliage changes from green to a bright scarlet. Very symmetrical in outline.

PERSIMMON. Diospyros

American Persimmon (D. Virginiana)—A native variety with round top head and spreading, often pendulous branches; foliage dark green and very dense, fruit over an inch in diameter, pale orange-yellow, with a whitish bloom; deli-

cate flower; very astringent until full ripe or after early frosts. Makes a beautiful lawn tree.

PLUM. Prunus

Double-Flowering Plum (P. Triloba)—A charming shrub or small tree, 3 to 5 feet high, of spreading, vigorous growth. Very early in spring before its leaves appear the whole tree is decked in a fleecy cloud of very double, light pink blossoms. Its effect on a still leafless landscape is very bright.

Hanson's Purple Plum—Tree of beautiful foliage, much resembling the Pissardi, the hardiest of all purple plums.

Purple-Leaved Plum (P. Pissardi)—Tree of medium size, wood and leaves dark purple;



Mountain Ash

fruit is also purple until ripened; a native of Persia. One of the most conspicuous ornamental trees.

POPLAR. Populus

Balm of Gilead (P. Balsamifera Candicaris)— Λ strong growing spreading native tree; esteemed for its vigor and hardiness; leaves broad and heart-shaped, green above and rusty white beneath; makes a good street tree and is perhaps the best of the poplars for shade.

Carolina Poplar (P. Monolifera)—Pyramidal in form and vigorous in growth; leaves large, glossy, pale to deep green; valuable for street planting on account of its rapid growth.

Norway Poplar or "Sudden Sawlog"—This is just what people are looking for—a tree that

will get a move on itself and turn out lumber in the shortest space of time. Our forests are rapidly disappearing, and they must be replaced with some rapid-growing tree. The Norway poplar promises to be to the North what the Eucalyptus is to the South. It is by far the most rapid grower we have. Slips planted at the experiment station at York, Neb., made trees 16 feet tall and 3 inches through at the base in two years. This tree does not, like many others, waste its energy in side limbs. It retains its size as it mounts upward and thus produces more lumber material than any other. It outgrows the cottonwood, the Carolina and Asiatic poplars, and in a succession of dry years will survive them all. It is well known that a vigorous tree must have a good deal of leaf surface, like the Lombardy poplar, for instance. On a healthy tree you find leaves nearly a foot long from the end of the stem to the apex and nine inches broad. Here we have a tree of tremendous growth retaining its size as it mounts upward, with large leaves waving like fans, in the breeze. This tree is well adapted to the middle states; success in the North.


Silver-Leaved Poplar (P. Alba var. Nivea)—A tree of wonderfully rapid growth and wide, spreading habit; leaves large, glossy green above and white underneath; prefers a moist soil, but grows anywhere.

RED BUD. Cercis

Judas Tree or Red Bud (C. Canadensis)—A medium size tree with large irregular head and



Norway Maple (See page 30)



Wier's Cut-Leaved Maple (See page 31)

perfect heart-shaped leaves; derives its name Red Bud from the profusion of delicate reddish-pink blossoms with which it is covered in early spring before the foliage appears. One of the finest ornamental trees.

SALISBURIA

Maiden Hair or Gingko (S. Adiantifolia)
—Very effective for lawns, foliage fern-like,
yellowish-green marked with delicate, hairlike lines. The fruits which mature in the
fall have a sweetish, resinous taste.

SYCAMORE. Platanus

American Sycamore or Plane Tree (P. Occidentalis) — A well-known tree, very common throughout the United States; leaves heart-shaped at base, the short lobes sharp pointed; branches are wide spreading.

Oriental Plane or European Sycamore (P. Orientalis)—A rapid-growing, erect tree with bright green foliage; much more esteemed than the American variety as a shade tree; very desirable for parks, streets and lawns.

THORN. Crataegus

Double White Thorn (Oxyacantha, var. alba flore pleno)—A small tree, with spreading, spiny branches; very hardy and will thrive in any dry soil; has small double, white flowers. A very highly ornamental tree.

Double Pink Thorn (C. Oxyacantha, var. rosea flore pleno)—Same as above, but with flowers of a beautiful pink color.

English Hawthorne (C. Oxyacantha)— The well-known English variety extensively used for hedges; flowers single white.

Paul's Double Scarlet (C. Oxyacantha, var. coccinea flore pleno)—Flowers a bright carmine red; superior to any of its color.

TULIP TREE. Liriodendron

Tulip Tree (L. Tulipfera)—A magnificent rapid growing tree of pyramidal form, attaining a height of 150 feet, with light green, glossy fiddle-shaped leaves and greenishyellow tulip-shaped flowers; also known as white wood.

WALNUT

Black-See page 25.

WILLOW. Salix

Russian Golden (S. Vitellina aurea)—At the present time one of the most planted of all the willows and a very important tree, both from an economical and ornamental standpoint. It makes a round-topped tree of symmetrical form. One of its strongest ornamental features is the bright, clear, golden-yellow bark which offers a pleasing contrast wherever it is used. The variety which is now generally grown under this name is quite distinct from that to which it was formerly given. This type was brought



Red Oak (See page 31)



Russian Olive (See page 31)

from Russia by Prof. Budd, under the name of Salix Aurea, and it is superior not only for its hardiness, but for its ornamental features also.

Laurel-Leaved Willow (S. Laurifolia)—Fine ornamental tree with very large shining leaves.

SEEDLING TREES

Elm, Ash, Box Elder, Maple, Russian Mulberry, Black Locust, Honey Locust. See price list for prices.

WEEPING TREES

For prices see price list, page 60.

BIRCH. Betula

Cut-Leaved Weeping Birch (B. Alba, var. pendula laciniata)—Undoubtedly one of the most popular of all weeping or pendulous trees; tall and slender, graceful drooping branches, silvery-white bark, delicately cut foliage; makes an attractive tree; vigorous.

ELM. Ulmus

Camperdown Weeping Elm (U. Scabra var. pendula)—This forms one of the most picturesque of the drooping trees; forms a large, umbrella-like head, spreading many feet in every direction; very rapid grower, making a growth of several feet in a season; leaves are large, dark green and glossy, and cover the tree with a dense mass of verdure.

LINDEN

Weeping Silver-Leaved—An elegant medium sized tree, 10 to 15 feet tall, of gracefully pen-

THE FARM HOME CAN BE MADE AS ATTRACTIVE AS THE CITY HOME



Norway Poplar (See page 31)

dulous habit, that holds its large, silver-lined leaves through the season. Hardy, grows fast and is quite striking. 4 to 6 feet.

MOUNTAIN ASH. Pyrus

Weeping Mountain Ash (P. Sorbus Aucuparia, var. pendula)—A beautiful tree of rapid growth and decidedly pendulous and trailing habit. One of the most desirable of lawn trees.

MULBERRY. Morus

Tea's Weeping Mulberry (M. Alba, var. tartarica pendula)—One of the most graceful and hardy weeping trees; forms a perfect umbrellashaped head with long, slender, willowy branches drooping to the ground; admirably adapted to ornamenting lawns or cemetery; the foliage is beautiful and the tree is wonderfully vigorous and healthy; will withstand the cold of the North and the heat of the South; in every way a most desirable tree.

WILLOW. Salix

American Weeping Willow (S. Purpurea, var. pendula)—A dwarf, slender variety; grafted 5 or 6 feet high, it makes one of the most ornamental of small weeping trees; more hardy than the Babylonica.

Babylonian Weeping Willow (S. Babylonica)—The well-known, common weeping willow; makes a large tree covered with drooping branches.

Kilmarnock Weeping Willow (S. Caprea, var. pendula)—A distinct variety having reddish shoots and large glossy foliage; grafted about five feet from the ground it makes a very desirable small lawn tree, with the branches drooping gracefully to the ground; well suited to planting in cemetery lots or small enclosures; hardy and of vigorous growth.

Niobe Weeping Willow—Imported by Prof. N. E. Hansen, who gave it the name. It is a golden barked Willow of a decided weeping

habit. It is extremely hardy and for this reason will, we think, be of especial value to the Northwest, where we are badly in need of a strictly hardy weeping willow. We offer it this season for the third time, and have great hopes for it.

Wisconsin Weeping Willow (S. Babylonica, var. dolorosa)—Of drooping habit and considered the hardiest. Valuable on account of its ability to resist severe cold.



Weeping Mulberry

CLEMATIS PANICULATA WILL PROTECT YOU FROM THE SUN IF PLANTED AT YOUR PORCH

ORNAMENTAL SHRUBS

For prices see price list, page 60.

ACACIA. Robinia Flowering Locust

Rose Acacia (R. Hispida)—A native species of spreading irregular habit; long clusters of pea-shaped, rose-colored flowers in June and at intervals through the season. Foliage a light green.

Rose Acacia (R. Neo-Mexicana)—Grows five to six feet high; branches covered with stiff prickles; flowers rose color in drooping racemes.

ALTHEA. Hibiscus Syriacus

Rose of Sharon—One of the most showy and beautiful of shrubs; flowers large, double and many brilliant colors; blooms freely in August and September, when few other trees and shrubs are in blossom.

Ardens—Violet color; petals quilled; very large and double.

Boule de Feu—Violet red color; very double; blooms late.

Coelestis-Single; flowers blue.

Duchess de Brabant — Reddish-lilac color, very large and double.

Elegantissima-Double white.

Rubra Flore Pleno-Double red.

Jean de Arc—One of the best; pure white and double.

Lady Stanley—Very double; white, with beautiful blush.

Pulcherima — Large, double, rosy-white.

Totus Albus—Single, pure white, very fine.

Variegated Leaved — Foliage finely marked with light yellow; flowers purple and double.

ALMOND. Amygdalus

Pink Double-Flowered Almond (A. Flore pleno Rosea)—A vigorous, beautiful tree, covered in May with rose-colored blossoms like small roses; hardy.

White Double-Flowered Almond (A. Flore pleno Alba)—Same as above except blossoms are pure and white.

BARBERRY. Berberis

Canadian Barberry (B. Canadensis)—A native variety of shrub or small tree with handsome foliage, and yellow flowers in May, succeeded by bright colored fruit; very ornamental in the fall and winter.

European Barberry (B. Vulgaris)—A handsome shrub with yellow flowers in May or June; foilowed with orange-scarlet fruit.


Japanese Barberry (B. Thunbergii)-From

Japan; of dwarf habit, small foliage, changing to a beautiful coppery red in the fall. Is very ornamental when used as a hedge.

Purple-Leaved Barberry (B. Vulgaris, var. purpurea)—Grows three to five feet high; foliage and fruit violet purple; very effective in groups or masses; yellow blossoms.

BUCKTHORN. Rhamnus

R. Cartharticus—A very fine vigorous, hardy shrub of European origin with dark green foli-



Weeping Birch (See page 33)

age, white flowers and small black fruit. A popular hedge plant.

CALYCANTHUS. Sweet Scented Shrub

C. Floridus—A native species with double purple flowers, very fragrant, and the wood is also fragrant; foliage rich dark green; blooms in June and at intervals afterward.

CARAGANA. Siberian Pea

Siberian Pea Tree (C. Arborescens) — A shrub or low tree with pea-shaped yellow flowers; hardy and useful for massing.

THE IRIS IS A BEAUTIFUL FLOWER AND WILL THRIVE IN ALMOST ANY SOIL

CEPHALANTHUS

Button Bush (C. Occidentalis)—A tall-growing native shrub with globe-shaped heads of white flowers in July.

COLUTEA

Bladder Senna (C. Arborescens)—A large shrub with small, delicate foliage, and yellow pea blossom shaped flowers in June, followed by reddish pods.

CURRANT. Ribes

Crimson-Flowered Currant (R. Sanguineum)

—A native variety with deep red flowers, blooms early in the spring.

Crandall's — A seedling from the West; blooms profusely; bright yellow flowers. Fruit of a red black color.



Althea (See page 35)

Gordon's Flowering Currant (R. Gordonianium)—Very hardy and profuse blooming; flowers are beautiful crimson and yellow in pendent bunches; blooms in May.

Yellow-Flowered Currant (R. Aureum)—A native species with beautiful shining foliage and yellow flowers.

DESMODIUM

Sweet Pea Shrub (D. Penduleflorum)—A low growing shrub having rose-purple peashaped blossoms in great profusion; blooms in September and continues until late October; tops die down after frost, but come up again in the spring. A valuable shrub for massing or borders.

DEUTZIA

Golden-Leaved Deutzia (D. Gracilis, var. aurea)—Foliage a beautiful yellow; flowers white and more showy than the slender branches.

Double-Flowered Deutzia (D. Crenata flore pleno)—A very hardy shrub with luxuriant foliage and a profusion of double white flowers tinged with rose, produced in late June on long racemes; one of the most desirable in cultivation.

Lemoine (D. Lemoinei)—Flowers pure white; shrub dwarf and free flowering; excellent for forcing.

Pride of Rochester—Produces large double white flowers, tinged with rose; vigorous grower, profuse bloomer and one of the earliest to bloom.

Slender Branched Deutzia (D. Gracilis)—Of dwarf habit; flowers pure white; one of the first to bloom. Fine for pot culture and winter blooming.

DOGWOOD. Cornus

European Red Dogwood (C. Sanguinea)—A valuable shrub for grouping and massing; very ornamental in winter when the bark is bloodred; foliage variegated in summer.

Red-Flowered Dogwood—A variety producing flowers suffused with bright red; blooms when young. One of the finest flowering trees.

Red Osier Dogwood (S. Stolonifera)—Produces white flowers in early June; in winter young shoots are a blood-red color.

Siberian Dogwood—Free growing, 6 to 10 feet tall, and very hardy; forms a small, handsome tree in some situations; its clusters of small white flowers in early summer are very dainty, and its bark is a showy, dark red in winter. All the Siberian Dogwoods bear in early fall a profusion of whitish blue berries, making them distinctly ornamental after the flowers have gone.

Variegated-Leaved Dogwood (C. Elegantissima Variegata)—Foliage a pale yellow, turning to a rose color in the fall; branches blood-

ELEAGNUS

Japanese Silver Thorn (E. Longipes)—A shrub about six feet high; flowers yellowish-white and fragrant; fruit very ornamental with an agreeable slightly acid flavor; one of the most desirable for lawns.


ELDER. Sambucus

Common Elder (S. Canadensis)—A large showy shrub, very ornamental in foliage; fruit and flowers and blossoming in June; flowers white, borne in large panicles; fruit reddishpurple berries in the fall.

Cut-Leaved Elder (S. Nigra var. Laciniata)—One of the best cut-leaved shrubs; a valuable variety with elegantly divided leaves.

Golden Elder (S. Nigra, var. aurea)—A handsome variety with golden-yellow foliage.

Variegated-Leaved Elder (S. Nigra, var. variegata)—The foliage is mottled with yellow and white; one of the best of variegated leaved.



Barberry (See page 35)

EXOCHORDA. Pearl Bush

Pearl Bush (F. Grandiflora)—A fine shrub, producing large white flowers in May; one of the finest in its season.

FORSYTHIA. Golden Bell

Fortune's Forsythia (F. Fortuneii)—A beautiful shrub of medium size; flowers are a bright yellow and appear before the leaves; foliage deep green; the best of the early flowering shrubs.

F. Intermedia—Flowers bright golden yellow; foliage glossy green; resembles the Viridissima, but hardier. A valuable variety.

F. Viridissima—A fine hardy variety; leaves and bark deep green; flowers deep yellow, early bloomer.

Weeping Forsythia (F. Suspensa)—Resembles the Fortune in its flowers, but the growth is somewhat drooping.

FRINGE or SMOKE TREE. Rhus

Purple Fringe (R. Cotinus)—A valuable ornamental shrub with curious fringe or hair-like flowers that cover the whole tree, giving the appearance of mist or smoke; wide, spreading habit, which requires some room to grow to the best advantage.

White Fringe or Chionanthus (C. Virginica)—A very ornamental shrub of easy cultivation, dark green foliage, flowers pure white, having narrow fringe-like petals; blooms in May and June.

HALESIA. Silver Bell


Silver Bell Tree (H. Tetraptera)—A beautiful large shrub forming a low, wide head, profusely covered with a mass of small snowy white flowers; blooms about the middle of

May; foliage dark green. A valuable acquisition to any lawn.

HONEYSUCKLE BUSH. Lonicera

Fragrant Bush Honeysuckle (L. Fragrantissima)—A spreading shrub with deep green foliage and fragrant small flowers which appear before the leaves; bushes are erect in growth.

Pink Tartarian Honeysuckle (L. Tartarica rosea)—Pink flowers that make a lovely contrast with the foliage; planted with the Grandiflora, the two make a beautiful display.



Calycanthus (See page 35)

OUR LINE OF FLOWERS EXCELS THAT OF ANY NURSERY IN THE WEST

Pink-Flowered Honeysuckle (L. T. var. grandiflora)—Produces large, bright red flowers striped with white; blooms in June.

Red Tartarian Honeysuckle (L. T. var. rubra)—Blooms early in the spring; flowers a beautiful bright red.

White Tartarian Honeysuckle (L. T. var. Alba)—Produces creamy white, fragrant flowers in May and June; forms a high bush.

HYDRANGEA

Hardy Hydrangea (H. Paniculata grandiflora)—A beautiful, tall shrub with leaves of bright, shiny green; flowers borne in huge panicles from 8 to 12 inches long, light pink, changing to brown later in the fall; blooms in August and September; can be grown in tree



Deutzia (See page 36)

form successfully and makes a very desirable lawn ornament.

Japanese or Garden Hydrangea (H. Hortensis, var. Thos. Hogg)—One of the hardiest; well adapted to pot culture and outdoor cultivation; flowers pure white. A profuse bloomer.

White Flowered Hydrangea (H. Arborescens Alba Grandiflora)—Resembles the Paniculata in general form and shape of flowers; borne in panicles of pyramidal shape from 5 to 8 inches in diameter and 8 to 10 inches long; changing to a greenish-white. One of the best.

Hydrangea Arborescens—June and July. A bushy plant from our native woods, with co-

rymbs of white flowers in June and July. It is the most hardy of Hydrangeas, and particularly desirable for planting in shady places.

JAPAN QUINCE. Cydonia

Scarlet Japan Quince (C. Japonica)—One of the best flowering shrubs; flowers a bright scarlet crimson, borne in great profusion in early spring; foliage retains its color of bright glossy green the entire summer; hardy; make good hedge plants.

KERRIA. Corchorus

Globe Flower (C. Japonica)—A slender green branched shrub, 5 to 6 feet high, with globe-shaped yellow flowers from July to October. Very ornamental.

LILAC. Syringa

Lilacs are well known, beautiful shrubs, indispensable in every collection. They can be moved with every success in the fall, but water must be used generously.

Alphonse Lavalle—Very large trusses of double blue flowers with violet shading. A desirable, dependable free bloomer.

Charles the Tenth—Large, long trusses of single, reddish purple flowers.

Charles Jolly—Double, blood red. Buds opening a dark reddish purple. Strikingly beautiful and extra choice.

Chinese Tree Lilac—The genuine in both this and Japan Tree Lilac are scarce. Many of the bush forms are trimmed high and offered as trees. The true Chinese grows about 20 feet high, resembling the cherry tree in shape, with the trunk light green in color. Trees 4 inches through at the base were literally covered with snowy white flowers in early July this year. Fast growing and excites the greatest comment wherever seen. Hard to keep them on hand until they make much growth, as the demand keeps them always cleaned up.

Dr. Bretschneider—Large, coarse leaves. Great masses of flowers nearly white. A prolific bloomer. Comes into flower about the 10th of June. We consider this the most desirable of the late bloomers. Blooms while exceedingly young. Bushes, this year, 24 inches high, carried as high as 50 open bunches at one time.

Emile Lemoine—Large trusses of double flowers, rosy lilac. Favorite of all doubles.

Grandiflora Alba—A good white variety.

Japan Tree Lilac—Matures into taller trees than the Chinese. Darker in bark and color, but habits much the same. Immense spikes of grayish blossoms. Both varieties are extremely hardy, lacking the natural enemy of the lilac.

Jean Bart—Fine clusters of double rosy carmine. Free bloomer.

Madame Casimir Perier—Very large, double, creamy white trusses, very beautiful. Free blooming, commencing while very young.

Persian Purple—A small-leaved variety, in habits and shape much like the Rouen. Bloom forms at end of branch. Laterals from this branch blooming join in making one large cluster sometimes over 12 inches in length.

Persian White-Delicate white, fragrant flowers, shaded with purple.

President Grevy - Double, light purple,

bunches very compact. Pyramidalis-A beauty. Light soft lavender

flowers, usually in double clusters.

Rouen-A cross between the old common purple and the Persian. Color reddish purple. Prolific bloomer and valuable for hedge purposes. Does not sucker like the common sorts, but stools heavily. Grows about 8 feet high and forms a windbreak, dividing line or screen.

Senator Volland-Dense compact blooms of

brilliant rosy red. A very free bloomer.

Siberian White—Pinkish white blossoms. Very hardy and desirable.

Teas' Mammoth — Single reddish - purple flowers. An imported variety.

Villosa-A stout, bushy shrub. Rich, bright green foliage. Buds light purple, opens light purple bordering on white. Very rare and desirable. June bloomer.

SINGLE LILACS

Charles X—A strong rapid-growing variety, large shining leaves; flowers reddish purple.

Marie Le Graye—Large panicles of white

flowers; the finest white lilac.

Rubra de Marlay-Flowers very dark lilac. Souvenir de Ludwig Spaeth-Flowers a dark purple borne in large panicles. The best of the dark varieties.

MAHONIA. Ashberry

Holly-Leaved Mahonia (M. Aquifolium)-A native shrub, very handsome, with purplish-



Fringe or Smoke Tree (See page 37)



Forsythia (See page 37)

shining prickly leaves and bright yellow flowers in May, followed by bluish berries; very ornamental.

PRIVET. Ligustrum

Amoor River Privet (L. Amurense)
-A valuable ornamental shrub for hedges and borders; very hardy; foliage glossy green and and holds its color almost the entire year; will stand shearing to any extent.

California Privet (L. Ovalifolium)— The well-known variety; vigorous and hardy; deep glossy green; useful for

hedges and borders.

Chinese Privet (L. Ibota)—A native of China and Japan; foliage long and shining; flowers large, white and fragrant; a distinct sort, valuable for its flowers and foliage.

Regel's Privet (L. Regelianum)—A dense low shrub with spreading branches, pendent at the end; a very graceful bush for hedges; needs very little trimming.

SNOWBALL. Viburnum

Common Snowball (V. Opulus Sterilis)-Grows 6 to 8 feet high, the oldfashioned snowball; its large globular clusters of pure white flowers are produced in May and June and make a very attractive appearance.

DON'T SAY YOU CAN'T RAISE FLOWERS—YOU KNOW WHAT YOUR TEACHER TAUGHT

High Bush Cranberry (V. Opulus)—It has handsome broad foliage of a shining dark green color, changing to rich coppery tints; flowers are white and very conspicuous; the fruit is a brilliant scarlet and hangs in long pendent clusters nearly all winter. A very desirable ornament to any lawn.

Lantana, Wayfaring Tree—A rugged tree-shaped shrub, covered with dense, rich foliage, wrinkled like sage. Flowers are borne in flat clusters, followed by large red fruit, turning to black later. In early winter when other shrubs are bare the foliage of the Lantana is still green and cheerful.

SNOWBERRY. Symphoricarpus

Coral Berry (S. Vulgaris)—A slender branched upright shrub, valuable for planting in shady places, as the foliage is very persistent; the



Hydrangea (See page 38)

fruit is a purplish red and hangs on well into winter; flowers small and rose colored.

Snowberry (S. Racemosus)—Same as the above except the berries are a pure snow white; flowers rose colored, but larger.

SUMACH. Rhus

Cut-Leaved Staghorn Sumach (R. Typhina laciniata)—A showy, broad-headed shrub with large, long, deeply cut foliage, light green in color, changing to shades of red and yellow in the fall; the new growth is clothed with a peculiar down, giving an appearance of the growing horn of a deer; the bark below is a rich orange color.

Cut-Leaved Sumach (R. Glabra, var. laciniata)—A variety of the smooth Sumach with deeply-cut fern-like foliage.

Smooth Sumach (R. Glabra)—A shrub 8 feet high, with handsome green foliage, changing to beautiful autumn tints; showy spike of crimson fruit.

SPIREA. Meadow Sweet

S. Arguta—Of dwarf habit, spreading head; flowers clear white; the best of the very early flowering white varieties; blooms in May.

Ash Leaved (S. Sorbifolia)—A vigorous grower with foliage similar to the Mountain Ash and long spikes of beautiful white flowers; blooms in July.

Billard's Spirea (S. Billardi)—Flowers are rose colored; blooms nearly all summer.

Bridal Wreath (S. Prunifolia flore pleno)—Foliage a dark shining green, changing to autumn tints in the fall; flowers double, pure white and are borne the entire length of the twigs; one of the most popular varieties.

S. Bumalda—A handsome variety from Japan; dwarf habit and vigorous growth; foliage narrow; flowers rose colored and borne in great profusion; blooms a long time.

Anthony Waterer—A fine dwarf Spirea with dark crimson flowers.

Douglas' Spirea (S. Douglasi)—A beautiful variety with spikes of deep rose colored flowers in July and August.

Fortune's Dwarf White Spirea (S. callosa alba)—A white flowering variety of dwarf, symmertical form; keeps in flower all summer. A valuable sort.

Golden-Leaved Nine Bark (S. Opulifolia, var. aurea)—A beautiful variety with golden-yellow foliage and double white flowers in June.

Nine Bark (S. Opulifolia)—One of the most vigorous growers; foliage light green; flowers white and produced in great profusion.

Thunberg's Spirea (S. Thunbergii)—Dwarf habit and rounded graceful form; branches slender and drooping; flowers pure white and borne the entire length of the twigs; foliage narrow and long, turning to orange scarlet in the fall.

Van Houttei Spirea (S. Van Houttei)—This is undoubtedly the most popular of all the varieties; foliage a rich green, changing to beautiful tints in the fall; in blooming season the bush is a perfect mass of pure white flowers, the branches bending to the ground; indispensable ornament for lawns and hedges.

SYRINGA or MOCK ORANGE Philadelphus

Garland Syringa (P. Coronarius)—A well-known shrub, pure white, fragrant; first bloom.

Golden-Leaved Syringa (P. Coronarius, var. Aurus)—A handsome variety with golden-yellow foliage; keeps its color the entire season. Is splendid for grouping with other varieties for pleasing effects.

Gordon's Syringa (P. Gordononianus)—A vigorous grower and profuse blooomer; flower white, fragrant and a late bloomer.

Large-Flowered Syringa (P. Grandiflorus)— Has very large, showy flowers, somewhat fragrant; bark reddish; a rapid grower. Lemoine's Syringa (P. Lemoinei) — A graceful shrub with very rich foliage and large, pure white fragrant flowers in June.

TAMARIX

T. Amurensis—Growth is slender and graceful, with silvery foliage; pink flowers borne on short spikes on the young growth only.

WEIGELIA. Diervilla

The Weigelias are shrubs of erect habit while young, but gradually spread and droop as they acquire age; flowers are large, trumpet-shaped, of all shades and colors; very effective for grouping and borders; blossoms are produced in June and July.

- D. Candida—Flowers pure white, produced in June and continue to bloom nearly all summer.
- D. Eva Rathke—Flowers a brilliant crimson; a beautiful, clear, distinct shade.
- D. Floribunda—A fine variety, flowers a dark red and a profuse bloomer.
- D. Rosea—An elegant variety with fine rose colored flowers appearing in June.
- D. Nana Variegata—Of dwarf habit and clearly defined silvery-variegated leaves; flowers rose colored.
- D. Van Houttei—Flowers are a rich shade of carmine and are produced profusely.

HARDY VINES

For prices see price list, page 60.

AKEBIA

Akebia Quinata—Japanese variety of climbing shrub with large leaves and white, purplecentered flowers.

AMPELOPSIS


American Ivy or Virginia Creeper (A quinquefolia)—One of the finest vines for covering walls, verandas or trunks of trees; foilage green, turning to a rich crimson in autumn; a rapid grower and quickly fastens to anything it touches.



Lilac (See page 38)

Boston Ivy (Veitchii)—Leaves smaller than the American; forms a dense sheet of green as leaves overlap each other; it a little difficult to start, but when once established requires no further care; foliage changes to a crimson scarlet in the fall, very valuable for covering brick and stone structures, rockeries, walls, etc.

Engelman's Ivy or Woodbine (A. quinquefolia, var. Engelmanni)—A type of quinquefolia, which has long been desired. It has shorter joints and smaller and thicker foliage. It is better equipped with tendrils, by which it will climb walls of stone or brick as closely as the Veitchii (Boston Ivy). It should be



California Privet (See page 39)

planted in the central and northwestern states, in place of the Veitchii, as it is perfectly hardy, withstanding heat and cold much better.

BIGNONIA. Tecoma

Trumpet Creeper (B. Radicans)—A hardy climbing plant with large trumpet-shaped scarlet flowers appearing in August.

Large Flowered Trumpet Creeper (B. Radicans, var. Grandiflora)—A beautiful variety with very large flowers, salmon colored, yellow center and striped with red.

CELASTRUS. Bitter Sweet

Climbing Bitter Sweet (C. Scandens)—A native climber with fine large leaves, yellow flowers and clusters of capsuled orange fruit; a rapid grower.

CINNAMON VINE. Dioscorea

Chinese Cinnamon Vine (D. Batatas)—A beautiful, hardy, very fragrant, immensely rapid growing vine; requires no attention and will continue to grow for years; one of the most valuable.

CLEMATIS. Virgin's Bower

A beautiful class of hardy climbers, many of the varieties have flowers 5 to 6 inches in diameter. They are very valuable for training around and over pillars, verandas, fences, rock work, etc.

Large Flowering Varieties

Duchess of Edinburg (Fine, large, double white flowers; blooms freely.

Jackmanni—Immense flowers of an intense violet-purple; bloom continually all summer.

Henryi—Flowers creamy-white and very large. A free bloomer.

Madam Edouard Andre—Flowers are a beautiful shade of crimson; a free bloomer.

Ramona—A vigorous grower and perpetual bloomer; flowers a deep rich lavender.



Spirea Van Houttei (See page 40)



Snowball (See page 39)

Small Flowering Varieties

Coccinea—Flowers thick, bell shaped, of a bright coral-red color; blooms profusely.

Crispa—A slender dwarf variety with purplish flowers, bell shaped, rather fragrant.

Flammula—Flowers small, white and sweet-scented; needs plenty of sun.

Paniculata—Probably the most popular of the small flowering sorts; vine is a rapid grower with glossy, green foliage; in September the flowers appear in a perfect mass of white, giving the appearance of a bank of snow; the fragrance is most delicious and penetrating.

Virginiana (American White Clematis)—Produces immense quantities of small white flowers in August; a very rapid climber.

Viticella—A well-known variety; produces a profusion of medium sized flowers of a bright wine-red color from June to August.

HONEYSUCKLE. Lonicera

Chinese Twining Honeysuckle (L. Japonica)
—A well-known vine, holding its foliage nearly
all winter; blooms in July and September; very
fragrant. Also known as the Evergreen Honeysuckle.

Hall's Japan Honeysuckle (L. Hallena)—A strong, vigorous vine with pure white flowers, changing to yellow; foliage remains green well into winter; very fragrant and covered with flowers almost the entire season. One of the best bloomers.

Japan Golden Leaved Honeysuckle (L. Aurea reliculata)—A handsome variety, with the foliage beautifully netted or variegated with yellow.

Monthly Fragrant Honeysuckle (L. Periclymenum, var. Belgica)—Blooms all summer; flowers red and yellow and very fragrant.

Scarlet Trumpet Honeysuckle (L. Semper virens)—One of the handsomest in cultivation; a strong, rapid grower. Flowers a bright scarlet; not much odor.

Yellow Trumpet Honeysuckle (L. Flava)—A strong native vine with brightest orange-yellow trumpet-shaped flowers.

MADEIRA VINE

Madeira Vine-A rapid climbing plant, with thick, glossy green foliage and fine white, fragrant flowers.



Spirea Anthony Waterer (See page 40)

MATRIMONY VINE. Lycium Chinese Matrimony Vine (L. Sinensis)—A creeping or trailing vine; foliage a grayishgreen; flowers appear in June and continue blooming until September; color varies from pink to purple; fruits are a bright crimson and make a beautiful contrast with the green foliage. Valuable for trellises and fences.

SILK VINE. Periploca

Silk Vine (P. Graeca)—A beautiful, rapid climber; splendid for training

around pillars, trees or other tall supports; grows to 30 or 40 feet; foliage a smooth, glossy green and very showy; flowers a purplish brown, borne in clusters.

WISTARIA

American Purple Wistaria (W. Magnifica)-Flowers are borne in dense, drooping clusters of a pale blue color; vine vigorous, hardy and a rapid grower.

Chinese Purple Wistaria (W. Sinensis)—One of the best of the Wistarias; rapid growing and elegant, attaining 15 to 20 feet in a season; flowers a pale-blue, borne in long pendulous clusters in May and June.

Chinese White Wistaria (W. Sinensis, var. Alba)-Same as the Chinese Purple, except the flowers are pure white; very beautiful variety.

DECIDUOUS HEDGE

For prices see price list, page 60.

BARBERRY. Berberis

Japanese Barberry (B. Thunbergii)-A low, spreading bush, with small branches covered with small sharp thorns and in spring with small yellow flowers, succeeded by bright scarlet berries; foliage changes in the autumn to shades of scarlet and gold; makes a dense, thick hedge.

HONEY LOCUST. Gleditschia

Three-Thorned Honey Locust (G. Tracanthos)—A rapid growing native tree with strong spines and delicate foliage. Very useful for hedges.

OSAGE ORANGE. Machura

Osage Orange (M. Aurantiaca)—A native tree of medium size and spreading habit; leaves bright shining green, broad and sharp pointed; the fruit resembles an orange in size and color.

JAPAN QUINCE. Pyrus Japonica

Scarlet Japan Quince (Japonica, var. rubra) —A beautiful flowering shrub, suitable for hedges, thorny enough to form a good defense; flowers a bright scarlet crimson, in great profusion in the early spring.


Altheas, Privet, Roses, Russian Olive, Spireas, Tartarian Honeysuckle

For descriptions of above see index for pages.

HERBACEOUS PAEONIES

Varieties marked "F" are fancy. For prices see price list, page 61.

The Paeonies are recognized as a fine, effective flower. They are extremely hardy and easily cultivated. The flowers are lasting and many of them are finely finished and exquisite-



Tamarix (See page 41)

ly colored. No other hardy plant of our gardens thrives so well, nor has as much practical,

permanent value.

In planting paeonies for cut flowers, do not plant a long list of varieties. For good results they must be cut at just the right time, which is hard to do if you have too many different varieties.

Andre Laures (Crousse 1881) F—Magenta red, fragrant. The last flower to bloom. Seldom misses.

Baron Jas. Rothschild—One of the best cheap flowers in our collection. Guard petals very regular, rose in color. Very compact bomb shape center of salmon, the tip of which shows purple.

Carnation (Terry) F—Very attractive, bright crimson, broad guard petals, inside finely

fringed.



Weigelia (See page 41)

Charles Verdier—Large lilac carmine bloom, transparent slate reflex. Compact and a good keeper as a cut flower.

Couronne d'Or (Crown of Gold, Calot) F— Imbricated petals. Compact solid white, with golden reflex. Center touched with carmine A fine variety. Late and a good keeper.

Cytheree—Medium white with light touch of carmine in center.

Cyclops (Kelway)—Rose type, dark crimson.

Dorchester (Richardson) F—A free blooming dwarf plant. Rose type, delicate light pink.

Extra good.

Edulis Superba (Lemon 1824)—A fine flower. Violaceous pink mixed with narrow whitish petals, giving a silvery reflex.

Festiva Maxima (Meillez) F—Glorious queen of the whites, often seven inches across. A large, loose flower of driven white, center marked with carmine. Perhaps the most popular paeony grown today.

Faust (Meillez) F—Soft, lilaceous flesh colored, with deep chamois center; a full, shapely,

splendid flower. Very desirable.

Felix Crousse (Crousse) F—One of the most resplendent of its class, rich brilliant ruby red of effulgent splendor. One of the best of the class of deep, glowing red.

Flambeau (Crousse) F-Very large loose

pink, silver tipped. Fine.

General Custer (Terry)—Very robust, large, variable pink, loose leaved, liberally sprinkled with yellow stamens.

Glori d'Douai (Kelway) F—Purplish crimson with brilliant dark reflex. A very showy and popular flower.

Glory of Somerset F—Enormous bloom, full bomb shape, deep pink edged with silver, a dark pink tuft showing in center of flower. Very popular and desirable.

Golden Harvest (Rosenfield) F-Soft pink, cream and gold and often in center a dainty

Festiva Maxima, blood drops and all.

Grandiflora Alba — Early standard sort. Opens straw color fading to pure white. Tuft in center sometimes marked with carmine. Often sold for Festiva Maxima.

Grandiflora Carnea Plena (Lemon)—Lilaceous mottled pink, one of the best keepers. Very charming, flowers in clusters. Should be in every garden.

Grandiflora Rosea (Guerin 1850)—Fine, fragrant, rose pink, one of the surest bloomers.

Humei (Anderson)—An immense late cinnamon scented flower of varnished pink. An old favorite.

L'Esperence-Very large sweet pink, fragrant. A great favorite.

Lady Bramwell—A ball of soft silvery pink. One of the largest.

La Coquette (Guerin)—Large pink crown, with a deeper pink center. A good bloomer and a very showy flower.

La Sublime (Parmentier) F—This is a fine flower of deep crimson. Very striking on account of its rich color. A reliable bloomer.

La Tulipe (Calot)—This belongs in a class by itself. The bud is very beautiful, interlaced with green and red. The flower is soft blush mingled with carmine, fading to pure white. Fragrant.

Louis Van Houttii (Calot)—Vivid purplish cherry. Very striking and satisfactory.

Labolas (Kelway) F—Japanese type. Rose purple. Broad guards, narrow short petals tipped yellow. A striking flower.

Livingstone (Crousse) F—Large full bloom, soft pink tinted white, carmine center. Very desirable.

Madam Forel (Crousse)—Large fine, glossy ash pink, darker center. Very choice.

Madam Ducel (Mechin) F-A large bomb-shaped flower with a frill of guard petals, sil-

very pink in color. Fine cut flower; excellent keeper; very desirable.

M. Vaillant (Calot)—Immense, late, deep violaceous red. Synonomous Grandiflora Rubra.

Madam Jules Elie (Calot 1873) F— Large soft pink, silvery reflex. Fine.

Mad. Chaumy (Calot)—Late, fragrant ball of pink, touched with silver.

Mme. Crousse (Calot) F— Splendid white, center sometimes edged with carmine; fragrant; one of the latest blooming whites; very choice.

Mme. d'Vernville (Crousse) F—Considered by Terry as one of the finest of all. Flowers of exquisite beauty, sulphur white, with broad guard petals; very attractive.

Madame Schmidt (Calot)—Good form, soft pink; late.

Mons. Dupont (Calot) F—One of our favorites; also one of the most reliable bloomers we have. Large, creamy white, tinged with brilliant carmine in the center. Makes a fine cut flower and is a good keeper.

Mons. Paillet (Guerin)—Large, compact, soft pink, liberally sprinkled with stamens. Petals



Ampelopsis Veitchii (Boston Ivy) (See page 41)

have a waxy finish, a quality sign. A pretty flower.

Mons. Rousselon (Syn. Compte d' Paris, Guerin) F—Lilac pink, deep chamois center. A tuft of lilac pink petals in extreme center of bloom. Crown is generally flecked with carmine. A handsome flower.

Mons. Guerin (Guerin)—Bears a profusion of bloom in clusters. One of the choice, reliable varieties. A compact, bright purplish carmine.

Mons. Crousse F—The American beauty peony. A grand red; choice variety.

Pottsi — A very free blooming purplish crimson. Early.

Prince Imperial (Calot 1859)— Brilliant purplish scarlet; one of the best medium priced reds; flowers in clusters.

Plutarch—A glorious orb of radiant, glistening crimson.

Queen Victoria (English)—Flesh fading to pure white; one of the florists' standard flowers. A great favorite.

Queen Victoria (Terry) — Pink blooms.

Reevesii (Mechin 1850) — Very soft silvery pink. Choice.

Reine Victoria (Guerin 1845)— Pink, tufted center.

Richardson's Rubra Superba F—Rose type, large, rather compact bloom of deep red. Very late.

Sarah Bernhardt (Syn. Umbellata Rosea, Dessert) F—The earliest to bloom. Large bloom with violet rose guards and amber white narrow petals in center with wide petals same color as guards found occasionally in center of bloom. A good variety.

Sir Thos, J. Lipton (Kelway) F— Free blooming, large flower with golden stamens in the center of rosy petals.

Thos. Meehan (Terry) F—Light rose tipped with silver; large, full



Clematis Paniculata (See page 42)

THERE IS NOTHING NICER THAN A BED OF PAEONIES

flower and a free bloomer. One of the good medium priced ones.


Villa d'Nancy F—Bright red. One of the most prolific and sure bloomers we have. Very desirable.

Weir's Crimson F—Dark crimson; a free bloomer.

Wacht Am Rhine F—Brilliant purple, violet shade; a good bloomer.

JAPANESE PAEONIES

This class represents the first change in the transformation from a single to a double flower. The stamens turn to narrow petaloids, producing different formations in the center. In some the tuft appears as a bunch of narrow



Hall's Japan Honeysuckle (See page 42)

ribbons with a stamen on the end of each ribbon. From others a tuft resembling colored corn silk hangs from the center. In short the formations are without number, with a wide range of colors. Like the singles they do not hold their petals long, but they are an oddity unknown by many. They are on their way and you cannot always depend on them. Some spring you may see that your Jap has turned to one of the most gorgeous double flowers. This year our seedlings brought us over 200 double flowers, some of them far ahead of anything in the imported line we have yet seen.

Officinalis (Old Fashioned Type)

Rubra—The early intense red. Blooms before Decoration Day.

Alba—A variable white.

Tenufolia—Fern-leaved. An intense crimson flower.

Moutan or Tree Peony F—These differ from the Herbaceous Peony by assuming a dwarf shrub effect which in time reaches a height of 3 to 4 feet. The flowers are large and of delicate shades.

There is no flower that can take the place of the Peony. Order a few plants today.

THE IRIS

The Iris is the rainbow personified. A goddess who visits us in garments of indescribable splendor and while she is with us we are in wonderland. The lure of her loveliness is irresistable. The delicacy, refinement and harmonious interweaving of colors in which she is clothed is beyond the brush of man. Wherever invited they become favorites and their fame is spreading and the day is fast approaching when they will have their rightful place in every garden.

Some of the new varieties are exceedingly beautiful. There is an infinite range and variation of color. The winsome, modest beauty of some, forming a striking contrast to their more glorious sisters arrayed in a sheen of irridescent splendor. There is no flower that will give you a greater range of color for your garden and by purchasing the different varieties you will have bloom from April until the middle of July. Much care was taken in obtaining our descriptions and we know that they are true and complete.

Planting—German Iris succeeds in partial shade, but they are at their best in the full sun. They will grow most anywhere, but do best in a well drained rich loam or garden soil. They should be planted very early in the fall or very early in spring. Plant the bud or crown about two inches below the surface.

The Siberian type is hardy as an oak, and very beautiful. Plant as you would the German.

The Japanese like a moist earth and a moist air. They will do well planted along streams or ponds. If planted on high ground they should be watered until blooming season is over. They produce large flowers of great beauty. They are very attractive.

IRIS GERMANICA Tall Bearded Irises

The upright or standard petals are indicated by S, the drooping petals or falls by F.

Black Prince—Bears many other names. A strikingly beautiful flower. Large and conspicuous petals of dark purple veined at the base. No collection should be without it. Medium height.

Bergiana —S and inner petals pure gold. F, maroon with rich golden tracing. Medium height.

Cherion (Syn. Nemises)—S, smoky lavender, inner petals lavender and straw; F, lilac finely veined. A tall flower.

Celeste (Syn. Lady Francis)—This is one of the purest and sweetest of flowers. S, pale blue of ultra marine cast; F, light violet edged lighter, golden beard. Tall.

Chalcedonia (Syn. Johan d'Worth-Brooklyn) —An old sort of medium height. S, light mauve; F, purple, heavily veined. A prolific

Delicata—S, pale lavender; F, white, veined and edged lavender; medium height.

Elizabeth-S, pale lavender, darker in the center. F, mauve, melting into pale blue. A very large attractive flower. Medium height.

Elegans (Syn. Vidonne, La Martine)-A very winsome flower. S, nearly white, dashed and splashed with violet. These markings are striking and unusual. Inner petals light lavender; F, violet veined with white. Sometimes variable in bloom. A beautiful flower.

Florentina Alba (Syn. Silver King)-Porcelain, changing to pure white. Medium height.

Gracchus—Medium height. S, pure lemon, inner petals also yellow; F, violet, completely interwoven with delicate tracery.

Her Majesty—Very attractive on account of its rich and unusual color. S, heliotrope of tissue-like delicacy, inner petals straw and lavender; F, light mauve traced with white. A very fine rich flower. Medium height.

Honorablis—S, intense yellow; F, bronze. Much like San Souci, only a taller growing plant.

Jacquesiana—Tall growing. S, bright cop-



Paeony, General Custer (See page 44)

pery crimson. F, rich dark maroon, veined with white near base.

Khedive—Tall. S, clouded lavender veined at the base. Inner petals light lavender flecked with white. F, dark lavender, orange beard. Tall.

Lady Jane—S, light lavender, charmingly veined at the base. F, fawn color traced with heliotrope. A choice flower. Medium.

La Tendresse — A charming, delicate, fragile flower. S, lavender; F, lilac color. Medium.
Leonidas (Syn. Murat, Yolandie)—Of radiant beauty. S, pur-

ple; F, dark purple, with glistening sheen. Very handsome. Tall.

Madam Chereau (Syn. Imogene)—A tall stately, queenly flower. If new it would be in great demand. S, white, edged and fringed mauve interspersed with lilac. Inner petals white; F, white edged, the same as the standards.

Madam Pacquette-S, very delicate light purple, inner petals lavender striped with heliotrope; F, are of great beauty, these are of deeper purple, very large, with threads of violet. A strikingly beautiful flower. Tall.

Monhassan—S, golden yellow; F, white and yellow, veined and mottled with brown. Medium.

Nymph—S, pale lavender, shaded darker, inner petals light lilac and yellow. F, purple, reticulated white. Medium.

Purple Queen (Syn. Florentina Blue, German Blue, Blue Beard Parensis) — Very robust plant,



Paeony, Festiva Maxima (See page 44)

THE IRIS—HANDSOME AS AN ORCHID, HARDY AS A DANDELION

large purple flower, petals of velvety purple, very showy and imposing.

Pallida Dalmatica—The noblest of all the Iris family, height three feet or better. Foliage broad and ornamental when flower is in bloom. Large pale blue flowers, very fragrant. A beautiful flower.

Perfection—S, mauve often dashed with deeper colors, inner petals mauve lavender; F, droop outward to show the most beautiful soft velvety petals ever possessed by a flower. The color is rich deep violet veined and traced in the most exquisite manner. A magnificent flower, borne on stems three to four feet tall. Rare.

Queen of May—A soft rose lilac, almost pink, a color rare among Irises. Medium.

Rosamond (Syn. Dove)—S, lavender buff; F is darker.

Sambuciana Beethoven (Syn. Miss Brough)

—Not a large flower, but a very pretty one. S, lilac, finely rectiulated, inner petals light yellow; F, rosy purple, with orange crest. Very striking. Medium to tall.

Sans Souci (Syn. Rebecca)—This is a hardy plant and a prolific bloomer. Fine for massing and for border effect. S, canary, base reticulated dove color. F, yellow, charmingly veined and interlaced with brown fading to light maroon. Medium.

DWARF BEARDED IRISES

Pumilla and Hybrid Crimean Varieties

These lovely Irises are very suitable for border effects or for planting in front of the taller growing varieties. They commence to flower the last of March and are in bloom until about the time the German Iris comes into bloom. Postpaid, 4c additional.

Pumilla (the old-fashioned Flag)—Rich blue, lilac, purple and other colors.



German Iris (See pages 46-47)



Paeony, Japanese (See page 46)

Verna—Flowers violet purple, yellow at the base.

Other Varieties

Aurea (From the Himalayas)—A handsome flower of deep golden yellow.

Orientalis Gigantea—Very tall grower, handsome foliage, flowers of ivory whiteness with an orange yellow blotch at the base of the falls.

SIBERIAN IRISES

We strongly recommend these hardy Irises. They have handsome foliage and beautiful flowers and will survive extremes of weather and other untoward conditions that prove fatal to other perennials. There is no other firm that has as many varieties of these as we have, and we are so well pleased with them that we intend to increase this list as fast as dependable varieties can be obtained.

Acuta—Blue, interlaced with white.

Lactea—A tall growing milky white.

Orientalis—Tall growing. S, violet; F, rich bluish violet.

Siberica (Siberian Blue)—Rich blue flowers of exquisite beauty. Much prized as a cut flower. Very choice.

Siberica Alba (Siberian White)— Has a beautiful white flower. Choice.

Snow Queen—S, white; F, white, golden yellow at the base. The color is so intense it gives a golden reflex inside the flower. This is a rare and beautiful flower borne on tall strong stems. A flower we strongly recommend as well worth while.

PHLOX

The Phlox will always continue to be an old standby. They take you through the trying heat of July and August, a perfect mass of bloom when many other summer flowers are gone. Commencing to bloom in June they continue until it freezes up in an endless variety of colors. Planted in masses they present a charming appearance, while the lower growing varieties used as a border

produce a very striking effect. They have a very sweet and delicate fragrance.

La Nuit—Purplish garnet; large florets; a beautiful flower. Medium.

Lothair—Deep clear rose, large carmine eye. Medium.

Le Pole Nord—Very tall, late variety with white floret and red eye.

Pyramid—Dwarf early white; compact head and a free bloomer. One of the most satisfactory phloxes we have. A rapid multiplier.

Richard Wallace—Very robust plant, large full head, white with crimson eye.

Zouave—Medium size, fine red. A ready propagator, very desirable.

Arete—A cross between Richard Wallace and Crepuscule. Symmetrical head, a prolific bloomer, florets large white with red center. In cool weather tinted with lavender. Medium height, very robust, resisting the heat and also the blight in wet weather. Rapid multiplier, very desirable.

Crepuscule—We consider this the finest phlox in the world. Single flowers much larger than a dollar; massive heads, which at a distance look like one enormous flower. In color, white shaded violet, striking large purple carmine eye.




Phlox

ROSES

For prices see price list, page 60.

Among all the flowering shrubs that make for beauty, grace and ornamentation, there is none that can compare with the Rose. The wide range of color, shape and size of the blooms and the diversity and character of the foliage gives it a wider range for decoration than any other single group of plants. When added to these qualifications are ease of culture, quick and ample response in blossoms, it is not to be wondered that the rose has been aptly termed the "Queen of Flowers." In most collections of flowering or ornamental shrubs it is in first place.



Coquette des Alps (See page 50)

CULTURAL DIRECTIONS

Roses thrive best in a clay loam enriched with well-rotted manure. They should also have an open, airy situation unshaded by trees or buildings wherever possible. Dig up the soil thoroughly to a depth of 12 to 15 inches. Soak the beds occasionally with weak manure water.

HARDY ROSES

Roses delight in an open, airy situation, unshaded by trees and buildings. Always plant in solid beds and each class by itself. Hardy roses may be planted in the fall or spring, but for this latitude we recommend spring planting. Dormant plants set in the spring should be planted early, before growth is started.

As roses are raised mostly for their flowers, it is necessary to give that culture to the plant best adapted to produce this result. A very rich soil

THE SOIL ON YOUR PLACE IS JUST AS GOOD AS THAT OF YOUR NEIGHBORS'

is of the first importance and it must be made so by thoroughly working into it plenty of old composted stable manure in which leaf mold has been

decomposed.

All roses should be cut back closely at the time of planting. For Hybrid Perpetuals remove at least one-half of the previous year's growth annually in the spring. In the ever-blooming class two-thirds of the previous year's growth. Strong growing varieties require less pruning back than weak ones.

As soon as severe freezing weather sets in, raise the earth around the plant 3 to 4 inches, with leaves, straw

or mellow soil.

Insects and Diseases—It is very important to keep your plants healthy and vigorous and free from diseases and insects. If troubled with green fly, spray vigorously, covering thoroughly every part of the foliage with sulpho-tobacco, soap or kerosene emulsion, made by mixing two parts of kerosene with one part of sour milk. Dilute with twenty parts of soft water. Bordeaux mixture is one of the best preventives from mildew and black spots, which are fungous diseases usually caused by continuous wet weather. By careful attention the diseases and insects may be kept down and plants will reward you with their beautiful blooms and foliage.

HYBRID PERPETUALS

Alfred Colomb—Brilliant carmine-crimson; very large, full and globular shaped; very fragrant and a superb rose.

Anne de Diesbach-Beautiful shade of car-



Marshall P. Wilder (See page 51)



General Jacqueminot

mine; very large and fragrant; quite hardy and a good forcing rose.

Baron de Bonstetten—Rich, velvety maroon, large and full; a splendid sort.

Baroness Rothschild — Light pink; a fine show rose, but without much fragrance; hardy and a late bloomer.

Captain Hayward—Very large, bright carmine-crimson; vigorous and free flowering.

Clio—One of the best; large, fine, globular form, flesh color, shading to rose in center; very vigorous.

Coquette des Alps—White, tinged with carmine; very fine; a free bloomer.

Coquette des Blanches—A pure white rose, very beautiful; one of the best of the white sorts.

Eugene Furst—Velvety crimson, shading to a deeper crimson; large, full and good shape; fragrant and beautiful.

good shape; fragrant and beautiful.

Francois Levet—A splendid rose; cherry-red; medium size, well formed; vigorous and a free bloomer.

Frau Karl Druschki—Very large, perfect form and snow white; a vigorous grower and a free bloomer.

General Jacqueminot—One of the most popular of the red roses; brilliant crimson, large and very effective, very fragrant and one of the hardiest.

Gloire de Lyonaise—A grand rose; a beautiful shade of pale salmon-yellow, sometimes passing to creamy white; very fragrant.

Gloire de Margottin—Brilliant scarlet; large semi-double, long bud; vigorous, fragrant and a free bloomer.

Hugh Dickson—A magnificent crimson, shaded with scarlet. Flowers very large, of perfect shape and fully double. Plant strong, vigorous and productive.

John Hopper—Bright rose with carmine center; large and full; very free bloomer and a standard rose.

Jubilee—A splendid large flowering variety of intense color, bright maroon-crimson, often almost a black-red; very showy; fragrance very lasting.

Jules Margottin — Bright cherry-red; large, full and very fragrant.

Louis Van Houtte—Red, shaded crimson, very vivid; large and fine form; fragrant; one of the best.

Mabel Morrison — White tinged with blush; a very valuable white rose.

Magna Charta—Extra large and full, bright rosy-pink; a profuse bloomer and very hardy.

Margaret Dickson — Beautiful form, white with pale flesh center; petals very large; fragrant.

Marie Bauman — Brilliant carmine-crimson; large, full and very fragrant; extra fine.

Marshall P. Wilder—Extra large, full deep red; a free bloomer and very handsome.

Mrs. John Laing—Soft pink, beautiful form, exceedingly fragrant and very free flowering.

Mrs. R. G. Sherman-Crawford—Deep, rosy pink, very double and full; vigorous and a free bloomer.

Paul Neyron-Said to be the largest rose in

Silver Queen
—Lovely silverrose, passing to
delicate rosypink; delightfully fragrant and
a free bloomer.

Tom Wood— Very large, bright cherryred with shellshaped petals.

Ulrich Brunner—Rich crimson - s c a r l e t, highly perfumed, vigorous and hardy; a very desirable sort.

Vick's Caprice
—A fine striped
rose of great
beauty; full,
double and finely formed; deep
clear pink, striped with white;
h ard y and a
good bloomer.



Gruss an Teplitz (See page 52)

cultivation; bright, clear pink, very fragrant, hardy and a strong grower.

Prince Camille de Rohan—Very dark, velvety crimson, almost black, large and full; a beautiful sort.

Soliel d'Or (Sun of Gold)—A strong, hardy rose; large, full and double; golden orange-yellow tinged with red and rosy-pink; a magnificent rose.



Dorothy Perkins (See page 52)

CLIMBING ROSES

Baltimore Belle—A rapid growing, dark leaved Prairie Rose; blooms in large clusters of pale blush and white flowers late in the season.

Multiflora Japonica—Single white; fragrant;

very pretty.

Prairie Queen—A rapid climber; flowers are very large; a bright rosy-red, changing lighter as the flowers open; strong and vigorous.

Seven Sisters—One of the best of the old-fashioned sorts; flowers borne in clusters and color varies from dark to light red or pink.

RAMBLER ROSES

Crimson Rambler—The best-known and most popular of all the climbing roses. A rapid grower, making sometimes 15 to 20 feet in a season; flowers are borne in clusters of 15 to

Crested Moss (See page 53)

25 perfectly shaped blossoms of a rich glowing crimson; when in full bloom the vine appears to be a perfect mat of rich red flowers; perfectly hardy everywhere.

Dorothy Perkins—This is one of the new Rambler types; has the same strong habit of growth as the Crimson; flowers are borne in large clusters of 25 to 30 and are a beautiful shell pink; the individual flower is larger than the Crimson Rambler. A valuable acquisition to the climbing roses.

Lady Gay—Another new type fully equal to the Crimson; bud opens a deep pink, shading to almost pure white when flower is matured; borne in large clusters and very double.

Philadelphia—A splendid climbing rose with flowers more than two inches in diameter; very double, deep rich crimson, more intense than the Crimson Rambler; borne in large clusters completely covering the bush; the flowers hold their color for a long time; vine is very hardy and a strong grower.

Pink Rambler—Flowers are double, of a clear shell pink; borne in large clusters. A valuable rose for cutting.

White Rambler—Flowers are pure white, very double and remain on the vine a long time.

Yellow Rambler—Same as the pink, excepting flowers are a light yellow, changing to straw color; very fragrant.

CLIMBING TEA and NOISETTE ROSES

Climbing Meteor—A rich velvety crimson, strong-growing shoots 12 to 15 feet long in a single season; one of the best ever-blooming climbing roses in cultivation.

Marechal Niel—Beautiful deep yellow, large, full and of a globe shape form, very highly perfumed.

William Allen Richardson—Flowers are a beautiful orange-yellow, medium size, very showy and distinct. One of the most valued of the climbers.

FIELD GROWN TEA and HYBRID TEA ROSES

Especial attention is directed to this selection of choice roses which we have grown outdoors, and now offer in strong two-year size. As the stock is limited, orders should be placed early to insure acceptance.

American Beauty—The flowers are a deep crimson color, of very large size, and the most fragrant of its class. It is a continuous bloomer. Should be protected in winter.

Burbank — Bright cherry - crimson flowers of great substance and durability. Does well outdoors.

Gruss an Teplitz—One of the richest colored roses grown. When first opened, it is dark, rich crimson, which quickly changes to bright scarlet, shaded with velvety fiery red.

Hermosa — Always in bloom and very fragrant; a most pleasing shade of pink.

Kaiserin Augusta Victoria—A beautiful rose, with elegant, large pointed buds and very large, full double flowers; color, delicate creamy white; deliciously fragrant. The plant is a strong, healthy grower and constant bloomer, one of the choicest and most trustworthy garden roses.

Killarney—Queen of the Irish roses, of exquisite form and fragrance. Bright carminepink, marbled in creamy white, with petals large and durable; the buds extremely long.

La France—Delicate silvery rose, shaded with cerise pink, often silvery pink, with peach shading.

Mamam Cochet—A valuable pink bedding or pot rose, with rich, healthy foliage and large flowers on long, straight stems; color, deep rose-pink, the inner side of petals silvery rose.

White Mamam Cochet—A beautiful snow-white, sometimes tinged with the faintest sug-

gestion of blush. Hardy, with but slight protection.

POLYANTHA ROSES

Clotilde Soupert—Flowers are borne in large clusters all over the bush; large, full and double; very fragrant; beautiful cream-white, tinged with amber at center and clear bright pink.

Crimson Baby Rambler—One of the best hardy bedding roses; vigorous and grows 18 to 24 inches; flowers are borne in clusters of 20 or more to the cluster. Perfectly hardy and is good for pot culture for winter blooming. Color a bright crimson-pink.

Pink Soupert—A new ever-blooming rose as beautiful as Clotilde Soupert, but deeper color.

Pink Baby Rambler (Anna Mueller)—Of the same free flowering class as the Crimson Baby Rambler. Blossoms a shade of deep rose with petals curled and twisted, producing a fluffy effect. Hardy, vigorous grower and foliage is very beautiful.

White Baby Rambler—Blooms all summer and blossoms are produced in great abundance. Cream-white, passing to snow-white.

Baby Dorothy Perkins-Pink.

HYBRID TEAS

Auguste Guinnoisseau (White La France)—Flowers extra large, full, pure white, delicate, shaded with soft rose, very fragrant.

Helen Gould (Baldwin)—Flowers very large, perfectly double and very sweet; color a rich bright crimson with beautiful shades of pink; very hardy, strong, vigorous grower and produces great quantities of flowers. One of the very best.

Souvenir President Carnot—Lovely shell-pink, delicately tinted with golden fawn or rich cream white. A very desirable rose.

JAPANESE TRAILING ROSES Wichuriana Hybrid

Manda's Triumph—Flowers are mediumsized, perfectly double, pure white and very fragrant; plant an erect grower; dark green foliage and is very hardy.

Pink Roamer—Flowers are single, and from two to three inches in diameter; rich pink, with silvery white center and orange red stems; exceedingly fragrant.

South Orange Perfection—Belongs to the Pink Roamer class, and blooms freely in clusters; color rosy blush, changing to white; flowers are perfect rosettes in form.

Universal Favorite—Flowers are bright pink, double and in every way equal to the double white varieties.

TREE ROSES

These are grafted on stems from four to five feet high, forming a head that is somewhat tree-shaped. They may be planted in tubs, and make very ornamental additions to lawns, verandas, etc. Can be supplied in leading Hybrid Perpetuals, Crimson Rambler, Baby Rambler, etc.

MOSS ROSES

Blanch Moreau—Pure white, large and full,

perfect form and well furnished with deep green moss. Very strong grower.

Captain John Ingram—Dark velvety purple, large size, double.

Countess of Murinais—One of the best pure white moss roses. Flowers large, full and fragrant; a good bloomer.

Crested Moss—Deep pink colored buds, surrounded with a mossy fringe and crest; a very fragrant and beautiful variety.

Glory of Mosses—A moderate grower; flowers very large, color a pale rose.



Baby Rambler

Henry Martin—Medium size, flowers large and rosy-red, well mossed, fragrant.

John Cranston—Deep crimson; very double. Luxemberg—Bright crimson, large and beautifully mossed.

Princess Adelaide—Extra large, flowers very double and sweet, color bright rosy-pink; moss a bright green.

Perpetual White—Pure white with a nicely pointed burr. One of the most beautiful white varieties.

Paul Fontaine—Deep crimson; a constant bloomer.

Salet—A bright light rose, large and full. It sometimes blooms in the autumn.

MISCELLANEOUS ROSES

Harrison's Yellow—Bright golden yellow, very hardy; fine for planting in groups; early bloomer.

Madam Plantier—A pure white rose recommended for lawn and cemetery; plant does not winter-kill and is a strong, vigorous grower and an enormous bloomer.

Persian Yellow — Flowers a deep yellow, rather small, but borne in great profusion. Considered one of the best of the yellow roses.

Rosa Rugosa (var. Rubra)—A Japanese variety with flowers of a beautiful bright rose-crimson, single and succeeded by large berries of rich rosy-red. A good hedge rose. Very ornamental.

R. (var. Alba)—Same as above, with exception flowers are pure white; very highly perfumed.

R. var. Agnes Emily-Carman—Flowers semidouble and borne in clusters, bright crimson and a free and continuous bloomer.

R. var. Mad. Geo. Bruant—Flowers are borne in clusters, buds are semi-double, long and pointed, pure white.

R. var. Blanc Double de Coubert—Purest paper white, blooming in clusters of from five to ten flowers; double, very sweet; a strong, rampant grower, having the true Rugosa foliage. Flowers nearly 5 inches in diameter, produced freely and lasting well. Perfectly hardy.

R. var. New Century—Flowers three to four inches across, full and double and borne in large clusters, color a clear flesh pink with bright red center. Has the delightful fragrance of the Sweet Briar.

R. Rubiginosa (English Sweet Briar)—Very highly valued for the delightful fragrance of its young foliage as well as flowers, entirely hardy and will take care of itself. Makes a fine hedge or is equally good for grouping or single specimens. Flowers are pink.



Hibiscus (See page 56)

HARDY PERENNIAL PLANTS

For prices see price list, page 60.

The following collection embraces the most desirable varieties. They are all showy, of easy cultivation and the flowering season is from



Shasta Daisy (See page 55)

May to November. By a careful selection a continuous display of flowers may be had the entire season. If you desire we can make selection for you.

Achillea, The Pearl—Has very showy heads of pure white, double flowers, on strong, erect stems; 2 feet high; blooming constantly.

Alyssum, Golden Tuft—A fine border plant, not over 12 inches high, which bears numerous clusters of bright yellow flowers in May, similar in shape to the well-known Sweet Alyssum.

Anemone, Windflower—One of the most showy of all our autumn-blooming herbaceous plants. Blooms freely from August till cut down by frost. In somewhat moist, rich soil, the plants make a beautiful, hardy border or bed. A slight covering of leaves or straw is sufficient protection in most severe winters.

Aquillegia, Columbine—These are plants of elegant habit, distinct in foliage and flowers. The latter form a showy crown well above the clear-cut leaves. All the species like partially shaded, well-drained soil. One of the best plants for rock work, or growing under trees.

Astilbe, Spirea — A beautiful herbaceous plant, blooming in dense spikes of pure white feather-like flowers.

ASTERS

Michaelmas Daisies-Tall, leafy perennials, blooming in the fall when flowers are scarce.

Alpine Asters-A rich purple. Italian Starwort-Light blue.

Nevadensis (A. Coccineus)-Red, yellow cen-

Nevadensis (A. Lilacinus)—Lilac. New England Aster-Bluish purple.

Bocconia Cordata (Plume Poppy)—Stately, growing from 6 to 8 feet high, with large foliage and long spikes of white flowers in August.

Boltonia (Asteroides)—Tall, 4 feet or more in height, with white, aster-like flowers in broad heads during August. A handsome plant for borders and masses.

Boltonia (var. Latisquama)—Aster-like flowers in a broad head; rosy purple; free blooming, showy and fine; 5 feet; July to October.

Campanula, Bellflower (Harebell)—A lovely hardy little perennial, widely planted everywhere for its delicate sprays of drooping white bells and their delightful fragrance. The leaves are a rich dark green; the plant vigorous, soon forming fine clumps which bloom early in the spring; largely forced in winter.

Coreopsis (Tickseed)—Showy and valuable free flowering perennials. Produces bright golden yellow flowers in great profusion the

entire season.

Chrysanthemum (Hardy Pompon) - This class of beautiful plants is now so universally popular for outdoor bedding, and justly so. They produce a lavish profusion of blooms, giving color, life and beauty to the garden at a time when other plants have been nipped by frost. They are quite hardy, but it is well to give a slight covering of leaves or manure during winter. Grow from 2 to 3 feet high.

Daisy, Shasta—Large snowy-white flowers, 4 inches across; in bloom all summer. A good

cut-flower variety.

Delphinum (Larkspur)-The hardy Larkspurs are one of the most important and most satisfactory plants in the herbaceous garden, and should be planted extensively, even in the smallest garden. Their long spikes of flowers are produced continuously from June until late in the fall, if the precaution is taken to remove the flower stems before they can produce seed.

Desmodium · (Penduliflorum) — A beautiful Japanese perennial, with clover-like foliage and long, pendulous racemes of rosy-purple flow-The stems are 4 feet long, and in early autumn are literally loaded with the flowers.



Yucca (See page 57)

Very hardy and showy, and a fine plant for

growing in front of shrubbery.

Dianthus (Sweet William)—The old-time favorite, growing 11/2 to 2 feet high, and bearing during May and June a profusion of roundtopped clusters of flowers of all shades of red and pink to white.

Dicentra (Bleeding Heart)—A hardy perennial with heart-shaped rose colored flowers in drooping spikes. One of the best border plants; perfectly hardy and easily cultivated. Flowers in April or May.

Digitalis (Foxglove) — Long bell-shaped flowers, on stems 3 to 4 feet high; white and

red; very showy. July to September. Funkia (Day Lily)—A superb autumn flower, having broad, light green leaves, prettily veined, and long, trumpet-shaped, pure white flowers, that possess a delightful, though delicate fragrance.



Crocus (See page 57)

Gaillardia Grandiflora (Blanket Flower) - A showy plant with dense tufts of drooping leaves and flower stems, producing daisy-like blossoms 2 to 3 inches across, of gorgeous colors; blooms in the most wonderful profusion from June to Novem-

Gypsophila Paniculata (White Veil Flow er-Two to three feet in height and most graceful in effect, with mist-like white flowers that are popular for cutting, as they give an air of grace and harmony to any arrangement. Blooms July to September.

Hibiscus (Militaris) — Strong growing, 4 to 6 feet high, with white, blush or pale rose flowers, with purple eye blooming in August and September.

Hibiscus (Crimson Eye)—Immense flowers of purest white, with large centers of velvety crimson. Blooms very profusely, the plants being covered all summer with a wealth of most beautiful, attractive flowers.

Hollyhocks — Few hardy plants combine as many good qualities as the Hollyhock. For planting in rows or groups on the lawn, or for interspersing among shrubbery, they are invaluable. The flowers form perfect rosettes of the most

lovely shades of yellow, crimson, rose, pink, orange, white, etc. The Hollyhock requires a rich, deep soil, well drained and will repay in quality and elegance of bloom any extra care. A slight protection in the winter will be beneficial.

Hyacinthus (Candicans)—A magnificent yucca-like plant producing in July and August, a flower stem 3 to 4 feet high, covered with from 20 to 30 pure white, pendent, bell-shaped flowers.

Iberis Sempervirens (Candytuft)—Of spreading habit; flowers pure white, covering the



Tiger Lily (See page 57)



Hyacinths (See page 57)

plant with bloom. One of the finest border plants, beautiful with flowers very early in spring; good for cutting.

Myosotis (Forget-Me-Not)—The Forget-Me-Nots are familiar flowers of many gardens, hardy, easy to grow, with bloom sprays of exquisite blue.

Papaver (Poppy)—Nothing can equal these in gorgeous effect and, whether planted singly or in masses, their large flowers, rich brilliant colors and freedom of bloom render them conspicuous in any position.

Platycodon (Chinese Bell-Flower)—A valuable perennial, forming a dense branching bush of upright habit, 1 to 2 feet high, with neat foliage. From the middle of July until late September it bears a constant succession of handsome, large bell-shaped, deep blue flowers. Succeeds well in any ordinary soil.

Rudbeckia (Golden Glow)—A distinct, tall-growing, hardy perennial, from 6 to 7 feet high. Foliage deeply cut, handsome bright green; flowers very double, rich golden-yellow; 2 to 3 inches in diameter; borne on long, smooth stems, forming for the tall plant a solid head of bloom.

Salvia (Meadow Sage)—A handsome species of the well-known Sage, with a profusion of crimson flowers in August and September.

Stokesia Cyanea—A grand large flowered, hardy perennial, growing 18 to 24 inches high, and covered with centaurea-like flowers of a beautiful lavender-blue shade, and often 4 to 5 inches across. Of earliest possible culture, flourishing wherever given an open, sunny exposure. As a single specimen plant, used in mixed borders or in large masses by itself, it is equally valuable, and by its use, some very effective planting may be worked out. Blooms from July to October continuously.

Tritoma (Red-Hot Poker)—These are tall and striking plants of much beauty when well placed and properly grown. The great spikes of flowers sent up from the center of a broad circle of green leaves, have quite a rich and

tropical appearance. Give some protection in cold climates. Bloom from July to September.

Yucca, Filamentosa (Adam's Needle)—Very conspicuous plant. The flower stalks 3 and 4 feet high are covered with large, whitish, bell-shaped flowers.

HARDY BULBS FOR FALL PLANTING

For prices see price list, page 61.

Crocus—These are delicate and tasteful in form and varied and gay in color. Until the flowering of the Hyacinth, and through the most changeable and unpleasant of the spring weather, the garden depends almost alone upon the Crocus for its brightness. Plant the bulbs in autumn about 3 inches apart and cover with 2 inches of soil. Cover in fall with a little straw or coarse manure to keep the bulbs from being thrown out by frost.

Hyacinths—Among all the bulbs used for winter flowers, the Hyacinth stands foremost. Flowers may be produced by placing the blubs in a glass filled with water or placed in pots or boxes in soil; colors, blue, red, white, with va-

rious shades.

Jonquils—Sweet-scented, yellow. It is one of the early blooming bulbs.

LILIES. Lilium

No class of plants capable of being cultivated out-of-doors possesses so many charms; rich and varied in color, stately and handsome in



Dahlia (See page 58)



Tulip (See page 58)

habit, profuse in variety, and of delicious fragrance, they stand prominently out from all the other hardy plants. Lilies thrive best in a dry, rich soil, where water will not stand in the winter. After planting they require very little care, and should not be disturbed for several years. Established plants bloom more freely

than if taken up annually. Plant in groups

of five or six, or in large beds.

Lilium Auratum (Gold Band or Lily of Japan)—Flowers very large, delicate ivorywhite, thickly dotted with rich, chocolatecrimson spots. A bright golden band runs through the center of each petal. The finest of all lilies.

Lilium Harrisii (Bermuda Easter Lily)—Flowers large, trumpet-shaped, pure waxen-white, gracefully formed and delightfully fragrant. The ease with which it can be forced into flower in winter has made it wonderfully popular.

Lilium Longiflorum—Large, snow-white, trumpet-shaped; very fragrant.

Lilium Melpomene—Flowers large and abundant; rich blood-crimson; heavily spotted.

Lilium Tigrinum (Double Tiger Lily)—Orange-scarlet, with dark spots.

Lilium Speciosum—White, shaded with rose, spotted red.

Lilium Speciosum Album—White, with a slight rose tint on the ends of the petals.

NARCISSUS

Some varieties bloom as early as the Crocus. The flowers assume many forms and present many charming combinations of white, gold, primrose, orange, sulphur and pure yellow. Some are quite fragrant; all are very hardy, except the clustered Polyanthus. Double and single.

TULIPS

These are the most glowingly brilliant and effective of all the early spring flowers. Plant them thickly and lavishly in the fall and they will reward you with abundant cheer during the cold, dull months of early spring. Colors many. Double and single.

DAHLIAS

For prices see price list, page 61.

These showy and pretty flowers are becoming very popular and justly so. The Dahlia is one of the showiest of all fall flowers, commencing to flower in July, they are a perfect bloom until stopped by frost. Flowers are most perfect and of beautiful form. Dahlias are divided in classes as follows: Cactus, Decorative, Show, Fancy, Pompon, Single, Collarette and Seedling; each class is comprised of a number of different varieties.

Cactus Dahlias

Countess of Lonsdale—A peculiar but pleasing blending of salmon-pink and amber, a color difficult to describe. This is the Dahlia for the millions. Flowers freely under all conditions.

Gen. Buller—Cardinal-red, each petal tipped with white.

J. H. Jackson—Brilliant crimson-maroon; very free.

Kriemhilde—A most popular cut flower variety; perfect flowers on long stems; color a brilliant pink, gradually shading to white at the center.

Mrs. H. J. Jones—Very large, perfect, rich, bright scarlet with cream-colored edge; occasionally comes self-colored.

Decorative Dahlias

A. D. Livoni—Beautiful clear pink, of perfect form and very free.

Catherine Duer—Iridescent red; a favorite for cutting.

Grand Duke Alexis—Large, massive flowers, ivory-white, with a faint tinge of rose at the extremities of the petals.

Jack Rose—Brilliant crimson red, rich and glowing, similar in shade to the popular "Jack" Rose, which suggested its name. The habit of the plant is perfect for garden decoration, while its stiff stems, holding the large flowers erect, secure for it a foremost place as a high-colored cut flower.

Souevnir de Gustave Doazon—A decorative variety of mammoth proportions, which under ordinary cultivation will produce flowers 6 inches across, and can be grown to measure full 9 inches. It is of free growth, remarkably profuse-flowering, and pure red in color.

Queen Wilhelmina—Immense, fluffy flower of pure white with yellow center.

Zulu—Deep maroon with black shadings.



Canna

BULBS AND TUBERS

For prices see price list, page 61.

For Spring Planting

Amaryllis—Velvety crimson flowers early in summer. Planted out in May in rich ground. The roots are stored like Dahlias during winter.

Caladium Espulentum (Elephant's Ear)—For obtaining tropical effects in lawn and garden planting, this beautiful plant takes a prominent place. Grows well in any ordinary soil, but should have plenty of water and good rich soil to obtain best results. Bulbs must be taken up in fall and kept in a dry, warm place.

Cannas—Very attractive plants, with large green leaves, often shaded with red and crimson. Cannas are the most satisfactory plants one can use for producing a gorgeous display of brilliantly colored flowers all summer long; they bloom until frost.

Gladioli—The Gladioli is the most attractive of all the summer flowering bulbs and deserves a place in every garden, as it is sure to flower and do well with little care. Flowers are of most every desirable color. By cutting the spikes when two or three of the lower flowers are open and placing them in water, the entire spike will open beautifully. Plant bulbs in April or May for early, and late in June for fall blooming.

Tuberoses—One of the best known and most easily grown summer flowering bulbs. Easily recognized by its exquisite fragrance and beautiful flower spikes, which are borne on long stems, making it an admirable cut flower for house decoration.

PRICE LIST

Evergreens	Each
Each Per 100	Maple, Norway and Hard .50 1.00
Black Hill and White	" Purple-Leaved 1.50 2.00 " Soft—(See Common Shade Trees.)
Spruce	" Weir's Cut-Leaved50 .75 1.00
"	Mulberry, White5-6 ft60
" 6 to 12 in20 15.00	Each Dozen Per 100
Jack, Scotch, Austrian White	Mulberry, Russian 3-4 ft. \$.20 \$2.00 \$15.00
and Bull Pine	" Russian4-5 ft25 2.50 17.50 " Russian5-6 ft30 3.00 20.00
"	Each Each Each
"	Olive, Russian 4-5 ft. \$.50 5-6 \$.75 6-8 \$1.00
6 to 12 in15 12.00	Oak, each
Each	Pecan
Pungens	Persimmon, American, each5-6 ft. 1.00 Plum, Prunus, each3-4 ft. 50c 4-5 ft75
" extra color 2 to 3 tt. 3.00 "	Plum, Prunus, each3-4 ft. 50c 4-5 ft75 Each Per 100
" extra color18 to 24 in. 2.00	Poplar, Carolina10 to 12 ft. \$.75 \$60.00
"	" 8 to 10 ft50 40.00
extra color12 to 18 iii. 1.00	" 6 to 8 ft35 30.00
Norway Spruce	5 to 6 ft20 15.00
"	"
Swedish and Irish Juniper 2 to 3 ft75	" Norway 10 to 12 ft. 1.00 75.00
"	" 8 to 10 ft75 60.00
"	" 6 to 8 ft50 40.00
Arbor Vitae 2 to 3 ft75	" 5 to 6 ft30 20.00 " 4 to 5 ft20 15.00
"	" 3 to 4 ft15 10.00
"12 to 18 in25	Each Each Each
TT 11/15 11 70	5-6 ft. 6-8 ft. 8-10 ft.
Upright Deciduous Trees	" Balm of Gilead\$.50 \$.75 \$1.00
Each	Silver-Leaved25 .50
Ailanthus6-8 ft. \$1.00	Red Bud, each
	Red Bud, each
Ailanthus	Red Bud, each
Ailanthus .6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. " European \$0.50 \$0.75 " Oak-Leaved .75 1.00	Red Bud, each
Ailanthus .6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. " European \$0.50 \$0.75 " Oak-Leaved .75 1.00 Beech, American 1.00	Red Bud, each
Ailanthus .6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. " European \$0.50 \$0.75 " Oak-Leaved .75 1.00 Beech, American 1.00 " Purple-Leaved 2.00 Birch, European .50 .75	Red Bud, each
Ailanthus .6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. " European \$0.50 \$0.75 " Oak-Leaved .75 1.00 Beech, American 1.00 " Purple-Leaved 2.00 Birch, European .50 .75 " Purple-Leaved 2.00	Red Bud, each
Ailanthus .6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.)	Red Bud, each
Ailanthus .6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 .00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75	Red Bud, each
Ailanthus .6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 "Speciosa .50 .75 "Seciosa .50 .75	Red Bud, each
Ailanthus 6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 "Speciosa .50 .75 "Cherry, White Flowering .75	Red Bud, each
Ailanthus 6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 "Speciosa .50 .75 "Cherry, White Flowering .75 "Wild Bird .50	Red Bud, each
Ailanthus .6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 ""Speciosa .50 """Speciosa .50 """"Show the Flowering .75 "Wild Bird Chestnut, American Sweet .75 1.00 "Horse .75 1.00	Red Bud, each
Ailanthus .6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 """ 8-10 ft. 1.00 Cherry, White Flowering .75 Chestnut, American Sweet .75 1.00 "Horse .75 1.00 Crab, Double Flowering 1.00	Red Bud, each
Ailanthus 6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 "Speciosa .50 .75 "Wild Bird .50 Chestnut, American Sweet .75 1.00 "Horse .75 1.00 Crab, Double Flowering 1.00 Dogwood .3-4 ft. .50 4-5.75	Red Bud, each
Ailanthus 6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 "Speciosa .50 .75 "Wild Bird .50 Chestnut, American Sweet .75 1.00 "Horse .75 1.00 Crab, Double Flowering 1.00 Dogwood .3-4 ft. .50 4-5 .75 Elm—(See Common Shade Trees.)	Red Bud, each
Ailanthus 6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 "Speciosa .50 .75 "Wild Bird .50 Chestnut, American Sweet .75 1.00 "Horse .75 1.00 Crab, Double Flowering 1.00 Dogwood .3-4 ft. .50 4-5 .75 Elm—(See Common Shade Trees.) 5-6 ft. 6-8 ft.	Red Bud, each
Ailanthus 6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 "Speciosa .50 .75 "Wild Bird .50 Chestnut, American Sweet .75 1.00 "Horse .75 1.00 Crab, Double Flowering 1.00 Dogwood .3-4 ft. .50 4-5 .75 Elm—(See Common Shade Trees.)	Red Bud, each
Ailanthus .6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 """ 8-10 ft. 1.00 Cherry, White Flowering .75 "Wild Bird .50 Chestnut, American Sweet .75 1.00 "Horse .75 1.00 Crab, Double Flowering 1.00 Crab, Double Flowering 1.00 Elm—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "Purple-Leaved \$.75 \$1.00 "English .75 1.00 Hackberry .50 .75	Red Bud, each
Ailanthus .6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 "Wild Bird Chestry, White Flowering "Horse "Horse "Horse "Horse "Total Double Flowering 1.00 Dogwood See Common Shade Trees.) 5-6 ft. 6-8 ft. "Purple-Leaved \$.75 \$1.00 "English "English	Red Bud, each
Ailanthus 6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) 2.00 "Speciosa .50 .75 "Speciosa .50 .75 "Wild Bird .50 Cherry, White Flowering .75 1.00 Chestnut, American Sweet .75 1.00 Crab, Double Flowering 1.00 Dogwood .3-4 ft. .50 4-5 .75 Elm—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "Purple-Leaved \$.75 \$1.00 "English .75 1.00 Hackberry .50 .75 "S-10 ft. 1.00 Kentucky Coffee Tree .75 1.00	Red Bud, each
Ailanthus	Red Bud, each
Ailanthus 6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 "Wild Bird Cherry, White Flowering .75 "Wild Bird .50 Chestnut, American Sweet .75 1.00 "Horse .75 1.00 Crab, Double Flowering 1.00 Crab, Double Flowering 1.00 Crab, Cee Common Shade Trees.) 5-6 ft. 6-8 ft. "Purple-Leaved \$.75 \$1.00 "English .75 1.00 Hackberry .50 .75 "Seft 6-8 ft	Red Bud, each
Ailanthus 6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) 2.00 Catalpa Bungei 2.00 "Speciosa .50 .75 "Wild Bird .50 Cherry, White Flowering .75 1.00 Chestnut, American Sweet .75 1.00 "Horse .75 1.00 Crab, Double Flowering 1.00 Crab, Double Flowering 1.00 Dogwood 3-4 ft50 4-5 .75 Elm—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "Purple-Leaved \$.75 \$1.00 "English .75 1.00 Kentucky Coffee Tree .75 1.00 Kentucky Coffee Tree	Red Bud, each
Ailanthus 6-8 ft. \$1.00 Ash, American—(See Common Shade Trees.) 5-6 ft. 6-8 ft. "European \$0.50 \$0.75 "Oak-Leaved .75 1.00 Beech, American 1.00 "Purple-Leaved 2.00 Birch, European .50 .75 "Purple-Leaved 2.00 Box Elder—(See Common Shade Trees.) Catalpa Bungei 2.00 "Speciosa .50 .75 "Wild Bird Cherry, White Flowering .75 "Wild Bird .50 Chestnut, American Sweet .75 1.00 "Horse .75 1.00 Crab, Double Flowering 1.00 Crab, Double Flowering 1.00 Crab, Cee Common Shade Trees.) 5-6 ft. 6-8 ft. "Purple-Leaved \$.75 \$1.00 "English .75 1.00 Hackberry .50 .75 "Seft 6-8 ft	Red Bud, each

Weeping Trees	Deciduous Hedge
Each	Per 100
Birch, Cut-Leaved	Tartarian Honeysuckle12 to 18 in. \$15.00
"	Privet
Linden, Silver-Leaved to 7 ft. 2.00	Barberry Thunbergii12 to 18 in. 10.00
Mountain Ash	"
Mulberry, Tea's	Buckthorn
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	" 8 to 15 in. 20.00
Ornamental Shrubs	Conosa Alba 6 to 12 in. 15.00
Each Each	" Arguta
Acacia 5-6 ft. \$1.00	"
Althea	Russian Mulberry
Barberry2-3 ft50 3-4 ft75	Honey Locust
Buckthorn 3-4 ft50 4-5 ft75	"
Calycanthus 2-3 ft50 3-4 ft75 Caragana 2-3 ft50 3-4 ft75	Osage, No. 1
Cephalanthus 2-3 ft 50 3-4 ft 75	" No. 2 3.00
Colutea 2-3 ft50 3-4 ft75	
Currant, Flowering. 2-3 ft50 3-4 ft75 Desmodium12-18 in50 18-24 in75	Roses
Deutzia2-3 ft50 3-4 ft75	Each Doz.
Dogwood, Flower's 3-4 ft50 4-5 ft75 Eleagnus 3-4 ft. 1.00	Baby Ramblers, 2 year\$.75 \$7.00
Elder 3-4 ft. 1.00 Elder 3-4 ft50 4-5 ft75	Climbing Roses, 2 year, heavy
Exochorda 2-3 ft50 3-4 ft75	Hybrid Perpetual, 2 year
Forsythia 2-3 ft50 3-4 ft75 Fringe Tree 3-4 ft50 4-5 ft75	Moss Roses, 2 year, large
Halesia 2-3 ft50 3-4 ft75	Rambler Roses—Crimson, Pink,
Honeysuckle, Bush. 2-3 ft50 3-4 ft75	White, Yellow
Hydrangea 2-3 ft50 3-4 ft75 Japan Quince2-3 ft50 3-4 ft75	Tree Roses, No. 1 1.50
Kerria 2-3 ft50 3-4 ft75	Handy Dananniala
Lilac	Hardy Perennials Each Doz.
" Villesa 4-5 ft. 1.00 Mahonia12-18 in50 18-24 in75	Achillea \$.25 \$2.50
Privet12-18 in50 18-24 in75	Alyssum
Snowball 2-3 ft50 3-4 ft75 Snowberry 2-3 ft50 3-4 ft75	Anemone, Windflower
Sumach 2-3 ft75 3-4 ft. 1.00	Astilbe
Spirea, Arguta 12-18 in 50 18-24 in 75 " Ash-Leaved 2-3 ft 50 3-4 ft 75	Asters
" Ash-Leaved 2-3 ft50 3-4 ft75 " Billardi2-3 ft50 3-4 ft75	Boltonia
" Bridal Wreath 2-3 ft50 3-4 ft75	Coreopsis
" Bumalda12-18 in50 18-24 in75 " An. Waterer 12-18 in50 18-24 in75	Chrysanthemums .25 2.50 Daisy, Shasta .35 3.00
" Douglas 2-3 ft50 3-4 ft75	Delphinum, Larkspur
" Fortune's12-18 in50 18-24 in75	Desmodium
" Golden Leaved 2-3 ft50 3-4 ft75 " Nine Bark 2-3 ft50 3-4 ft75	Dianthus, Sweet William
" Thunberg's 2-3 ft50 3-4 ft75	Digitalis, Foxglove
" Van Houttei 2-3 ft50 3-4 ft75 Syringa, M'k Orange 2-3 ft50 3-4 ft75	Funkia, Day Lily
Tamarix 3-4 ft25 4-5 ft50	Gypsophila
Weigelia 2-3 ft50 3-4 ft75	Hibiscus
¥7*	Hollyhocks .25 2.50 Hyacinthus .35 3.00
Vines	Iberis Sempervirens, Candytuft35 3.00
Each Akebia\$.50	Iris .25 2.50 Myosotis, Forget-Me-Not .35 3.00
Ampelopsis, Virginia Creeper, Boston Ivy,	Myosotis, Forget-Me-Not
Woodbine	Pansies
Bignonia, Trumpet Creeper	Papaver, Poppy
Clematis, Large Flowering Varieties75	Platycodon, Chinese Bell Flower25 2.50
" Small Flowering Varieties50	Rudbeckia, Golden Glow
Honeysuckle2 to 3 ft. 50c 3 to 4 ft75 Madeira Vine	Salvia, Meadow Sage .25 2.50 Stokesia .35 3.00
Matrimony Vine	Tritoma, Red-hot Poker
Silk Vine	Yucca, 18 to 24 inches

Bulbs and **Tubers**

For Fall Planting		For Spring Planting		
Each	Doz.		Each	Doz.
Crocus		Amaryllis	.50	5.00
Hyacinths	$\frac{2.50}{2.50}$	Caladium, Elephant's Ear	.35	3.00
Lilies	2.50	Cannas	.25	2.50
Narcissus	2.50	Dahlias, Cactus		3.00
Peonies, Assorted	5.00	" Decorative	.35	3.00
" Fancy 1.00	8.00	Gladiolus	.10	1.00
Tulips, Single, Double and Parrot05	.50	Tuberoses	.25	2.50

Spirea Anthony Waterer

See Page 40

A recent improvement over the S. Bumulda. Forms a low bushy hedge from 2 to 21/2 feet high and is covered all summer with a small flat head of bright pink flowers. A new scarce dwarf shrub of high merit, absolutely hardy and especially adapted for hedge purposes. It furnishes not only a rich green foliage, but has an almost perpetual bloom of beautiful flowers. Plant in April, about 18 inches apart in row. The first period of blooming is from the middle of June until the first of August. Immediately after these flowers disappear, shear back to a uniform height. The next crop appears about the first of September and lasts until a hard freeze. Shear back again in late fall or early spring.

Catalpa Bungeii or Umbrella Tree

See Page 29

Grafted on stem 6 to 8 feet high, it makes an umbrella-shaped top without pruning. Perfectly hardy, and flourishes in almost all soils and climates. Leaves large, glossy, heart-shaped, deep green; lie like shingles on a roof; always making a symmetrical head. One of the most unique trees; desirable for lawn and park planting. Plant in April. Plant trees 6 to 8 feet in height, and the best specimens only. Wrap bodies of all ornamental trees the first season to guard against sun scald.

INDEX

Page	Page
A	Catalpa 29
Abies 27	Celastrus 42
Acacia30, 35	Cephalanthus 36
Acer	Celtis
Achillea 54	Cerisus
Adam's Needle	
Aesculus	Cercis 32
	Cherries
Ailanthus 28	Chestnuts
Akebia 41	Chionanthus
Alder 28	Chinese Arbor Vitae
Almond 35	Chinese Bell Flower 56
Alnus 28	Chinese Tree Lilac 38
Alyssum 54	Chrysanthemum 55
Althea 35	
Amaryllis 58	Cr
	Clematis
American Ivy 41	Columbine 54
Ampelopsis	Colutea 36
Amygdalus 35	Compass Cherry-Plum
Anemone 54	Cornus
Apples 7-11	Corchorus 38
Apples, Crab 11	Coral Berry 40
Apricots	
4 T +4 +	Coreopsis 55
Aquilegia 54	Crab
Arbor Vitae	Crataegus 32
Asparagus 24	Cranberry 40
Ash	Crimson Eye 56
Ashberry 39	Crocus 57
Astilbe 54	Cucumber Tree 30
Asters 55	Currants
1100013	
В	Cydonia 38
	D
Balsam Fir 27	D
Balm of Gilead 31	Dahlias 58
Danbarry 25 19	
Daibelly	Day Lily 55
Barberry	
Basswood 30	Deciduous Trees28-33
Basswood	Deciduous Trees
Basswood	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55	Deciduous Trees 28-33 Dewberries 20 Desmodium 36,55 Deutzia 36 Delphinum 55 Dicentra 55
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42	Deciduous Trees 28-33 Dewberries 20 Desmodium 36,55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Diervilla 41 Distance to plant 6 Diospyros 31
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 26	Deciduous Trees 28-33 Dewberries 20 Desmodium 36,55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42
Basswood 30 Bechtel's Flowering Crab 29 Beech 25 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30	Deciduous Trees 28-33 Dewberries 20 Desmodium 36,55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55	Deciduous Trees 28-33 Dewberries 20 Desmodium 36,55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36	Deciduous Trees 28-33 Dewberries 20 Desmodium 36,55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55	Deciduous Trees 28-33 Dewberries 20 Desmodium 36,55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Belfilower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Boston Ivy 41	Deciduous Trees 28-33 Dewberries 20 Desmodium 36,55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29,36 E Elder Eleagnus 31,36 Elm 29
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Bulbeberry 24 Boltonia 55 Boston Ivy 41 Box Elder 30	Deciduous Trees 28-33 Dewberries 20 Desmodium 36,55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29,36 E Elder Eleagnus 31,36 Elm 29
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boston Ivy 41 Box Elder 30 Buckthorn 35	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Elephant's Ear 58
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Box Elder 30 Buckthorn 35 Buckeye 29	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Elephant's Ear 58 Evergreens 27-28
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Belliflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckeye 29 Buffalo Berry 24	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Elephant's Ear 58
Basswood 30 Bechtel's Flowering Crab 29 Beech 26 Beelflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Birch 28 Biack Fere 42 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckeye 29 Buffalo Berry 24 Bulbs and Tubers 57, 58	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Elder 36 Eleagnus 31, 36 Elm 29 Elephant's Ear 58 Evergreens 27-28 Exochorda 37
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckeye 29 Buffalo Berry 24 Bulbs and Tubers 57, 58 Button Bush 36	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Elephant's Ear 58 Evergreens 27-28 Exochorda 37
Basswood 30 Beechtel's Flowering Crab 29 Beech 26 Beelflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckeye 26 Buffalo Berry 24 Bulbs and Tubers 57, 58	Deciduous Trees 28-33 Dewberries 20 Desmodium 36,55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Elephant's Ear 58 Evergreens 27-28 Exochorda 37 F Fagus
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellilower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckeye 29 Buffalo Berry 24 Bulbs and Tubers 57,58 Butternut 24	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Diervilla 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Evergreens 27-28 Exochorda 37 F Fagus 28 Fir 27
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellilower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckthorn 35 Buckeye 29 Buffalo Berry 24 Bulbs and Tubers 57,58 Butternut 24	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Elephant's Ear 58 Evergreens 27-28 Exochorda 37 F 7 Fagus 28 Fir 27 Flowering Cherry 29
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellilower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckeye 29 Buffalo Berry 24 Bulbs and Tubers 57,58 Butternut 24	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Diervilla 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Evergreens 27-28 Exochorda 37 F Fagus 28 Fir 27
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Beelflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckeye 29 Buffalo Berry 24 Button Bush 36 Butternut 24 C C Caladium 58	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Diervilla 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Elephant's Ear 58 Evergreens 27-28 Exochorda 37 F 7 Fagus 28 Fir 27 Flowering Cherry 29 Flowering Locust 35
Basswood 30 Beechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Bottonia 55 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckeye 29 Buffalo Berry 24 Button Bush 36 Butternut 24 C C Caladium 58 Calycanthus 35	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder 36 Eleagnus 31, 36 Elm 29 Elephant's Ear 58 Evergreens 27-28 Exochorda 37 F Fagus Fir 27 Flowering Cherry 29 Flowering Locust 35 Forsythia 37
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Birter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckeye 29 Buffalo Berry 24 Button Bush 36 Butternut 24 C Caladium Calycanthus 35 California Privet 39	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Elephant's Ear 58 Evergreens 27-28 Exochorda 37 Frir 27 Flowering Cherry 29 Flowering Locust 35 Forsythia 37 Forget-Me-Not 56
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Box Elder 30 Buckthorn 35 Buckeye 29 Buffalo Berry 24 Button Bush 36 Butternut 24 C C Caladium 58 California Privet 39 Campanula 58	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Diervilla 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Evergreens 27-28 Exochorda 37 F Fagus Fir 27 Flowering Cherry 29 Flowering Locust 35 Forsythia 37 Forget-Me-Not 56 Foxglove 55
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Bellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckthorn 35 Button Bush 36 Butternut 24 C Caladium Caladium 58 California Privet 35 Campanula 55 Campanula 56 Candytuft 56	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Diervilla 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Elephant's Ear 58 Evergreens 27-28 Exochorda 37 F Flowering Cherry 29 Flowering Locust 35 Forsythia 37 Forget-Me-Not 56 Fraxinus 28
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Beelflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Birch 26 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckeye 29 Buffalo Berry 24 Button Bush 36 Butternut 24 Caljoanthus 35 California Privet 39 Campanula 56 Cannas 58	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Diervilla 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Elephant's Ear 58 Evergreens 27-28 Exochorda 37 F 7 Fagus 28 Fir 27 Flowering Cherry 29 Flowering Locust 35 Forsythia 37 Forget-Me-Not 56 Foxglove 55 Fraxinus 28 Fringe Tree 37
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Beellflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Birch 28 Bitter Sweet 42 Blackberries 20 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckeye 29 Buffalo Berry 24 Button Bush 36 Butternut 24 C C Caladium 58 Calycanthus 38 California Privet 39 Campanula 58 Caragana 38	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Dierviila 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Elephant's Ear 58 Evergreens 27-28 Exochorda 37 Fir 27 Flowering Cherry 29 Forsythia 37 Forget-Me-Not 56 Foxglove 55 Fraxinus 28 Fringe Tree 37 Fruit Department 7-24
Basswood 30 Bechtel's Flowering Crab 29 Beech 28 Beelflower 55 Berberis 35, 43 Betula 28 Bignonia 42 Birch 28 Birch 26 Black Locust 30 Blanket Flower 55 Bladder Senna 36 Bleeding Heart 55 Blueberry 24 Boltonia 55 Boston Ivy 41 Box Elder 30 Buckthorn 35 Buckeye 29 Buffalo Berry 24 Button Bush 36 Butternut 24 Caljoanthus 35 California Privet 39 Campanula 56 Cannas 58	Deciduous Trees 28-33 Dewberries 20 Desmodium 36, 55 Deutzia 36 Delphinum 55 Dicentra 55 Diervilla 41 Distance to plant 6 Diospyros 31 Dioscorea 42 Dianthus 55 Digitalis 55 Dogwood 29, 36 E Elder Eleagnus 31, 36 Elm 29 Elephant's Ear 58 Evergreens 27-28 Exochorda 37 F 28 Fir 27 Flowering Cherry 29 Flowering Locust 35 Forsythia 37 Forget-Me-Not 56 Foxglove 55 Fraxinus 28 Fringe Tree 37

	age	Pag	е
G	55	Machura 4	13
Gaillardia	32	1124CII CII CII CII CII CII CII CII CII CII	13
Gingko		Madema v me vivivivivivivivivivivi	13
Gladiolus	58		10
Gleditschia3		zizoudo ii zi ii zi ii zi ii zi zi zi zi zi zi	56
Globe Flower	38	112 Clado II Dago III II I	54
Golden Bell	$\begin{array}{c} 37 \\ 54 \end{array}$	112701240111111 — 11111	10
Golden Tuft	5 4	Morus23, 3	
Golden Glow	23		31
Gooseberries		Mulberries	
Gymnocladus	30		56
Gypsophila	55		
Оурзорина		N	
H		Narcissus 5	57
Hackberry	30		30
Halesia	37	Norway Poplar31, 3	32
Harebell	55		6
Hawthorne	33	Nut Trees24-2	25
Hedge Plants	43	0	
Horse Chestnut	29	0	
Hibiscus3	5, 56	Oak 3	31
High Bush Cranberry	40		31
Honey Locust30	0, 43	Ornamental Shrubs35-4	
Honeysuckle3	7, 42	Ornamental Department25-5	58
Hollyhocks	56	Osage Orange 4	13
Hydrangea	38	P	
Hyacinthus	56	_	56
Hyacinths	57	Papaver	
T			$\frac{10}{12}$
_	~ 0	Peaches	
Iberis	56		35
Introductory	3		37
Information (General)	4		25
Instructions for Planting5, 6, 25, 2			31
Iris4	0-48		43
т		Perennials54-5	
J C'I TI	2.0		40
Japanese Silver Thorn	36	Phlox	19
Japan Quince3	57	Pie Plant 2	24
Jonquils	27		27
Juneberry	24		27
Juniper	27		27
Judas Tree	32	Plums14, 15, 3	
J. 200 1111111111111111111111111111111111			$\frac{32}{2}$
K			32
Kentucky Coffee Tree	30		~ ~
			55
Kerria	38	Platycodon	56
		Platycodon	56 31
L		Platycodon Poplar Populus	56 31 31
		Platycodon Poplar Populus Poppy	56 31 31 56
L Lantana	38 40 30	Platycodon Poplar Populus Poppy Poker Plant	56 31 31
Lantana Larch Larkspur	38 40 30 55	Platycodon Poplar Populus Poppy Poker Plant Privet	56 31 31 56 56
L Lantana Larch Larkspur Larix	38 40 30 55 30	Platycodon Poplar Populus Poppy Poker Plant Privet Prunus	56 31 31 56 56 39
L Lantana Larch Larkspur Larix Lilac 3	38 40 30 55 30 8, 39	Platycodon Poplar Populus Poppy Poker Plant Privet Prunus Price List Psoplar Poppy Privet Prunus	56 31 31 56 56 39
L Lantana Larch Larkspur Larix Lilac 3 Linden	38 40 30 55 30 8, 39 30	Platycodon Poplar Populus Poppy Poker Plant Privet Prunus Price List Pyrus	56 31 31 56 56 39 31
L Lantana Larch Larkspur Larix Lilac 3 Linden Lilies	38 40 30 55 30 8, 39 30 57	Platycodon	56 31 31 56 56 39 31 61
L Lantana Larch Larkspur Larix Lilac 3 Linden Lilies Lilium Lilium	38 40 30 55 30 8, 39 30 57 57	Platycodon	56 31 31 56 56 39 31 61 29
L Lantana Larch Larkspur Larix Lilac 3 Linden Lilies Lilium Ligustrum	38 40 30 55 30 8, 39 30 57 57 39	Platycodon	56 31 31 56 56 39 31 61
L Lantana Larch Larkspur Larix Lilac 3 Linden Lilies Lilium Ligustrum Liriodendron	38 40 30 55 30 8, 39 30 57 57 39 33	Platycodon	56 31 31 56 56 39 31 61 29
L Lantana Larch Larkspur Larix Lilac 3 Linden Lilies Lilium Ligustrum Liriodendron Loganberry	38 40 30 55 30 8, 39 30 57 57 39 33 24	Platycodon Poplar Populus Populus Poppy Poker Plant Privet Prunus Price List Pyrus	56 31 31 56 39 31 61 29
L Lantana Larch Larkspur Larix Lilac Linden Lilies Lilium Ligustrum Liriodendron Loganberry Location of Nursery	38 40 30 55 30 8, 39 30 57 57 39 33 24 3	Platycodon Poplar Populus Poppy Poker Plant Privet Prunus Price List Pyrus Q Quince Quercus R R Raspberries	56 31 31 56 56 39 31 61 29
L Lantana Larch Larkspur Larix Lilac Liliac Lilies Lilium Ligustrum Liriodendron Loganberry Location of Nursery Locust	38 40 30 55 30 8, 39 30 57 57 39 33 24 3	Platycodon	56 31 31 56 56 39 31 61 29
L Lantana Larch Larkspur Larix Lilac Liliac Lilies Lilium Ligustrum Liriodendron Loganberry Location of Nursery Locust Lonicera 3	38 40 30 55 30 8, 39 30 57 57 39 33 24 3	Platycodon Poplar Populus Populus Poppy Poker Plant Privet Prunus Price List Pyrus Q Quince Quercus R Raspberries Red Bud Rhubarb	56 31 31 56 56 39 31 61 29 32 32
L Lantana Larch Larkspur Larix Lilac 3 Linden Lilies Lilium Ligustrum Lirodendron Loganberry Location of Nursery Locust Lonicera 3 Lycium	40 30 55 30 8, 39 30 57 57 39 33 24 30 7, 42	Platycodon Poplar Populus Populus Poppy Poker Plant Privet Prunus Price List Pyrus	56 31 31 56 39 31 61 29 32 32 34
L Lantana Larch Larkspur Larix Lilac 3 Linden Lilies Lilium Ligustrum Ligustrum Lirodendron Loganberry Location of Nursery Locust Lonicera Lycium 3	40 30 55 30 8, 39 30 57 57 39 33 24 30 7, 42	Platycodon Poplar Populus Poppy Poker Plant Privet Prunus Price List Pyrus	56 31 31 56 39 31 61 29 32 32 34
L Lantana Larch Larkspur Larix Lilac Liliac Lilies Lilium Ligustrum Liriodendron Loganberry Location of Nursery Locust Lonicera Lycium M Magnolia	38 40 30 55 30 8, 39 30 57 57 39 33 24 3 30 7, 42 43	Platycodon Poplar Populus Populus Poppy Poker Plant Privet Prunus Price List Pyrus	56 31 31 56 39 31 61 29 32 40 35
L Lantana Larch Larkspur Larix Lilac Liliac Lilies Lilium Ligustrum Liriodendron Loganberry Location of Nursery Location of Nursery Louicera Lycium M Magnolia Maple	38 40 30 55 30 8, 39 30 57 57 39 33 24 3 30 7, 42 43	Platycodon Poplar Populus Populus Poppy Poker Plant Privet Prunus Price List Pyrus	56 31 56 31 56 56 39 31 61 29 32 34 36 36 31
L Lantana Larch Larkspur Larix Lilac 3 Linden Lilies Lilium Ligustrum Ligustrum Lirodendron Loganberry Location of Nursery Locust Lonicera Lycium 3	38 40 30 55 30 8, 39 30 57 57 39 33 24 3 30 7, 42 43	Platycodon Poplar Populus Populus Poppy Poker Plant Privet Prunus Price List Pyrus Q Quince Quercus R Raspberries Red Bud Rhubarb Rhamnus Rhus Rhus Rhus Rhus Rhus Rhus Rock Mountain Cherry Robinia 30,	56 31 56 31 56 56 39 31 61 29 32 34 36 36 31

Page	Page
Roses .49-54 " Climbing 52 " Hybrid Perpetual 50, 51 " Miscellaneous 53, 54	Sycamore 32 Symphoricarpus 40 Syringa 38, 40
" Rambler 52	T
" Tea52, 53	Tamarix 41
" Trailing 53	Tecoma 42
" Tree 53	Thorn32, 33
Rudeckia 56	Thuya 27
Russian Olive	Tickseed 55
S	Tilia 30
~	Tree of Heaven
Salisburia 32	Tritoma 56
Salix	Trumpet Creeper
Salvia 56 Sambucus 36	Tuberoses 58 Tulips 58
Seedling Trees	Tulip Tree
Shasta Daisy	1 timp 1100
Shrubs35-41	U
Siberian Pea Tree	Ulmus 29
Silk Vine	V
Silver Bell	· ·
Silver Thorn	Viburnum 39
Smoke Tree 37	Vines
Snowball 39	Virginia Creeper
Snowberry 40	Virgin's Bower 42
Sorbus 31	W
Spirea 40	Walnuts 25
Spruce	Wayfaring Tree 40
Starwort 55	Weeping Trees
Stokesia	Weigelia 41
Strawberry-Raspberry 24	White Veil Flower
Strawerries	Willow 33
"Sudden Sawlog"31, 32	Windflower 54
Sumach	Wistaria 43
Sweet Chestnut	Woodbine 41
Sweet Pea Shrub	V
Sweet-Scented Shrub	Y



ORDER SHEET

All orders should be sent in as early as possible to insure prompt attention; it is our rule to execute them in the order in which they come to hand; hence we cannot, except for extraordinary reasons, delay orders, received first, for those coming late in the season and requiring attention at once. In every case where possible it is advisable to forward goods early. If ground is not in condition to plant, they can be left in the boxes, or taken out and the roots covered with earth.

TO HARRISON NURSERY CO., YORK, NEBRASKA,

POSTOFFICE					
COUNTY		STATE			
DO NOT WRITE LETT	FILLED FOR LESS TH	LED FOR LESS THAN ONE DOLLA			
IO. OF PLANTS		F VARIETY	HEIGHT	PRICE	
IU. UF PLANTS	NAME O	r VARIETT	neiun i	FRIOE	
			•		
		•	· .		
•					

ORDER SHEET

TAXABLE MARKET TO VICE WHITEHAM

1504

Territorio

STATE

NATIONAL PROPERTY AND ADDRESS OF THE PARTY O

2000 00.00





Nursery Stock the cheapest to buy and the best to plant.